





Couple:



Two forces F and $-F$ having the same magnitude, parallel lines of action and opposite sense are said to form a couple.

-Couple has a tendency to rotate the body

-The perpendicular distance between the parallel forces is called arm of the couple.



Here $OA = x$; $OB = (a-x)$

Sum of moments at A

$$\sum m_A = F \times a$$

Sum of moments at B

$$\sum m_B = F \times a$$



Sum of moments at o

$$\sum m_o = (F \times x) + (F \times (a - x))$$

$$= F \times x + F \times a - F \times x$$

$$\sum m_o = Fa ()$$

The sum of the moments of couple forces about any point is same magnitude and nature.

Moment of a couple = Force \times Arm of the couple

$$m = F \times a$$



Difference between moment and couple

The couple is a pure turning effect which may be moved anywhere in its own plane or into a parallel plane without change of its effect of the body, but the moment of a force must include a description of the reference axis about which the moment is taken.

Types of Couple:


Based on its nature

- (i) Clockwise couple
- (ii) Anticlockwise couple




Horizontal

Clockwise couple




Inclined



Anticlockwise couple

Resolution of a force into a force and a couple at a point



Principle of transmissibility of forces

If a force acts at any point on a rigid body it may also be considered to act at any other point on its line of action.


Problem 6:

A system of parallel forces are acting on rigid bar as shown in fig. Reduce the system to

- (i) A single force
- (ii) A single force and a couple at A



(iii) A single force and a couple at B.



Solution:

(i) Single force system

The single force system will consist only resultant force.

Magnitude of resultant force $R = 30 - 150 + 70 - 10$

$$R = -60\text{N}$$

Direction of Resultant: Vertical & Downwards (as R is negative)

Location of Resultant force

Sum of all moments about A $\sum m_A = R \times x$


$$\sum m_A = (30 \times 0) + (150 \times 1) - (70 \times 2) + (10 \times 3.5)$$

$$\sum m_A = 45 \text{ Nm (Clockwise)}$$




$$\sum m_A = R \times x$$

$$45 = 60 \times x$$

$$x = 0.75\text{m}$$






(ii) A Single force and a couple at A



Clockwise couple

(iii) A single force and a couple at B






Problem 7:

A 4.8m beam is subjected to the forces shown in fig. Reduce the given system of forces to

- (i) A single force
- (ii) An equivalent force –couple system at A
- (iii) Force couple system at B.



Solution:

- (i) A single force (or Resultant force)

$$\text{Magnitude of Resultant, } R = 150 - 600 + 100 - 250$$

$$= -600\text{N}$$

Direction of Resultant force: Vertically downwards (R is (-))



Location of Resultant force


$$\begin{aligned}\text{Algebraic sum of moments of all forces } \sum m_A &= (150 \times 0) + (600 \times 1.6) - (100 \times 2.8) + 250(1.6 + 1.2 + 2) \\ &= 1880 \text{ Nm (Clockwise)}\end{aligned}$$

Sum of moments about A = moment of Resultant force about A



$$1880 = R \times x$$


$$1880 = 600 \times x$$

$$x = 3.13 \text{ m}$$



(ii) Force -Couple system at A





(iii) Force – Couple system at B

