





Problem 10:

The three forces and a couple of magnitude $m = 18 \text{ Nm}$ are applied to an angled bracket as shown in fig.

- (i) Find the resultant of this system of forces (ii) Locate the points where the line of action of the resultant intersects line AB and line BC.



Solution:

- (i) Resultant force

Algebraic sum of Horizontal forces,

$$\sum H = 125 \cos 60 - 200 = -137.5 \text{ N}$$

Algebraic sum of Vertical forces

$$\sum V = 125 \sin 60 - 50 = 58.25 \text{ N}$$

Magnitude of resultant force



$$R = \sqrt{(\sum H)^2 + (\sum V)^2} = \sqrt{(137.5)^2 + (58.25)^2} = 149.32 \text{ N}$$

Direction of the resultant force

$$\alpha = \tan^{-1} \left(\frac{\sum V}{\sum H} \right) = \tan^{-1} \left(\frac{58.25}{137.5} \right) = 22.95$$


Location of the resultant force

$$\begin{aligned} \text{Sum of moments } \sum m_A &= -(125 \sin 60 \times 0.3) - 18 + (200 \times 0.2) \\ &= -10.475 \text{ Nm (Anticlockwise moment)} \end{aligned}$$

Let x be the perpendicular distance of the resultant from A.

$$\sum m_A = R \times x$$

$$x = \frac{10.475}{149.32} = 0.07 \text{ m} = 70 \text{ mm}$$





(ii) Intersection of resultant force with line AB and BC

To find AM

In right triangle APM $\angle APM = 90^\circ$; $\angle PMA = 22.95^\circ$; $AP = 70 \text{ mm}$

$$\sin 22.95 = \frac{AP}{AM} = \frac{70}{AM}$$

$$AM = \frac{70}{\sin 22.95} = 179.52 \text{ mm}$$

To find BN

In right angled triangle BMN

$$BM = AB - AM = 300 - 179.52 = 120.48 \text{ mm}$$

$$\tan 22.95 = \frac{BN}{BM} = \frac{BN}{120.48}$$

$$BN = 51.01 \text{ mm}$$



EQILIBRIUM OF RIGIDBODIES – SUPPORT REACTIONS

Beam:

A beam is a horizontal structural member which carries a load, transverse (perpendicular) to its axis and transfers the load through support reactions to supporting columns or walls.

Frame:

A structure made up of several members, riveted or welded together is known as frame.

Support reactions of Beam:

The force of resistance exerted by the support on the beam is called as support reactions.

- Support reaction of beam depends upon the type of loading and type of support.

Types of Supports

1. Roller support
2. Hinged support
3. Fixed support

1. Roller support: