



# **SNS COLLEGE OF ENGINEERING**



**Kurumbapalayam(Po), Coimbatore - 641 107**

**Accredited by NAAC-UGC with 'A' Grade**


**Approved by AICTE, Recognized by UGC & Affiliated to Anna University, Chennai**


## **Department of Information Technology**

### **19CS204 OBJECT ORIENTED PROGRAMMING**

**I YEAR /II SEMESTER**

**Topic - Thread Synchronization**





# Thread Synchronization

- Synchronization is a process of handling resource accessibility by multiple thread requests. The main purpose of synchronization is to avoid thread interference.
- When two or more threads need access to a shared resource, they need some way to ensure that the resource will be used by only one thread at a time.
- The process by which this is achieved is called synchronization.
- For example, If a thread is writing some data another thread may be reading the same data at that time. This may bring inconsistency.
- Synchronization in java is the capability to control the access of multiple threads to any shared resource.



# Thread Synchronization

- Key to synchronization is the concept of the monitor.
- A monitor is an object that is used as a mutually exclusive lock.
- Only one thread can own a monitor at a given time.
- When a thread acquires a lock, it is said to have entered the monitor.
- All other threads attempting to enter the locked monitor will be suspended until the first thread exits the monitor.
- These other threads are said to be waiting for the monitor.
- A thread that owns a monitor can reenter the same monitor if it so desires.




# Thread Synchronization



- Synchronization can be accomplished by two ways in java,
  - By Synchronized Method
  - By Synchronized Statement or Block

## Synchronized Method

- To enter an object's monitor, just call a method that has been modified with the synchronized keyword.
- While a thread is inside a synchronized method, all other threads that try to call it (or any other synchronized method) on the same instance have to wait.
- To exit the monitor and relinquish control of the object to the next waiting thread, the owner of the monitor simply returns from the synchronized method.




# Thread Synchronization

## Example without synchronization

```
class Table{
void printTable(int n){//method not synchronized
    for(int i=1;i<=5;i++){
        System.out.println(n*i);
        try{
            Thread.sleep(400);
        }catch(Exception e){System.out.println(e);}
    }
}
class MyThread1 extends Thread{
Table t;
MyThread1(Table t){
this.t=t;
}
public void run(){
t.printTable(5);
}
}
```

```
class MyThread2 extends Thread{
Table t;
MyThread2(Table t){
this.t=t;
}
public void run(){
t.printTable(100);
}
}
public class TestSynchronization1 {
public static void main(String args[]){
Table obj = new Table();//only one object
MyThread1 t1=new MyThread1(obj);
MyThread2 t2=new MyThread2(obj);
t1.start();
t2.start();
}
}
```



# Thread Synchronization

## Example 1 with Synchronized Method

```
class Table{
synchronized void printTable(int n){
    for(int i=1;i<=5;i++){
        System.out.println(n*i);
        try{
            Thread.sleep(400);
        }catch(Exception e){System.out.println(e);}
    }
}
class MyThread1 extends Thread{
    Table t;
    MyThread1(Table t){
        this.t=t;
    }
    public void run(){
        t.printTable(5);
    }
}
```

```
class MyThread2 extends Thread{
    Table t;
    MyThread2(Table t){
        this.t=t;
    }
    public void run(){
        t.printTable(100);
    }
}
public class TestSynchronization1 {
    public static void main(String args[]){
        Table obj = new Table();//only one object
        MyThread1 t1=new MyThread1(obj);
        MyThread2 t2=new MyThread2(obj);
        t1.start();
        t2.start();
    }
}
```



# Thread Synchronization




## Synchronized block

- While creating synchronized methods within classes that you create is an easy and effective means of achieving synchronization, it will not work in all cases.
- To understand why, consider the following. Imagine that you want to synchronize access to objects of a class that was not designed for multithreaded access.
- That is, the class does not use synchronized methods.
- This is the general form of the synchronized statement:

```
synchronized(objRef) {  
    // statements to be synchronized  
}
```
- Here, objRef is a reference to the object being synchronized.
- A synchronized block ensures that a call to a synchronized method that is a member of objRef's class occurs only after the current thread has successfully entered objRef's monitor.



# Thread Synchronization



## Example 2 Synchronized block


```
class Table{
    void printTable(int n){
        synchronized(this){//synchronized block
        for(int i=1;i<=5;i++){
            System.out.println(n*i);
            try{
                Thread.sleep(400);
            }catch(Exception e){System.out.println(e);}
        } }
    } //end of the method
}
class MyThread1 extends Thread{
    Table t;
    MyThread1(Table t){
        this.t=t;
    }
    public void run(){
        t.printTable(5);
    } }
}
```

```
class MyThread2 extends Thread{
    Table t;
    MyThread2(Table t){
        this.t=t;
    }
    public void run(){
        t.printTable(100);
    }
}
public class TestSynchronizedBlock1 {
    public static void main(String args[]){
        Table obj = new Table();//only one object
        MyThread1 t1=new MyThread1(obj);
        MyThread2 t2=new MyThread2(obj);
        t1.start();
        t2.start();
    }
}
```





# Thread Synchronization



## Example 3 Synchronized Method


```
class Callme {
synchronized void call(String msg) {
System.out.print("[ " + msg);
try {
Thread.sleep(1000);
} catch(InterruptedException e) {
System.out.println("Interrupted");
}
System.out.println("]");}}
class Caller implements Runnable {
String msg;
Callme target;
Thread t;
public Caller(Callme targ, String s) {
target = targ;
msg = s;
t = new Thread(this);
t.start();
}
```

```
public void run() {
target.call(msg);
}
}
```

```
public class Synch {
public static void main(String args[]) {
Callme target = new Callme();
Caller ob1 = new Caller(target, "Hello");
Caller ob2 = new Caller(target, "Synchronized");
Caller ob3 = new Caller(target, "World");
}
}
```



# Thread Synchronization




## Example 4 Synchronized Block

```
class Callme {
void call(String msg) {
System.out.print("[ " + msg);
try {
Thread.sleep(1000);
} catch(InterruptedException e) {
System.out.println("Interrupted");
}
System.out.println("]");}}
class Caller implements Runnable {
String msg;
Callme target;
Thread t;
public Caller(Callme targ, String s) {
target = targ;
msg = s;
t = new Thread(this);
t.start();
}
public void run() {
target.call(msg);
}}
```

```
public void run() {
synchronized (target) {
target.call(msg);
}
}
}
```

```
public class Synch {
public static void main(String args[]) {
Callme target = new Callme();
Caller ob1 = new Caller(target, "Hello");
Caller ob2 = new Caller(target, "Synchronized");
Caller ob3 = new Caller(target, "World");
}
}
```



**THANK YOU**