




PERPENDICULAR AXIS THEOREM.

If I_{ox} & I_{oy} be MOI of a lamina about two mutually perpendicular axes ox & oy in the plane of lamina and I_{oz} be the MOI of lamina about an axis normal to the lamina & passing through the point of intersection of axis ox & oy . Then,



$$I_{ox} = I_{ox} + I_{oy}$$

$$I_{xx} = \frac{bh^3}{12}$$

$$I_{yy} = \frac{hb^3}{12}$$

MOI of rectangle about axis zz , passing through the point of intersection of xx & yy axis and normal to the plane of rectangle


$$I_{zz} = I_{xx} + I_{yy}$$

$$= \frac{bh^3}{12} + \frac{hb^3}{12}$$

$$= \frac{1}{12} [bh^3 + hb^3]$$



4. Find the M.I of an angle section as shown in figure about its centroidal axes.



Not Symmetrical about any axes.

To find \bar{x} & \bar{y}

Portion (1) (12×48 mm)

$$a_1 = 12 \times 48$$

$$= 576 \text{ mm}^2$$

$$x_1 = \frac{12}{2} = 6 \text{ mm}$$

$$y_1 = 12 + \left(\frac{48}{2}\right)$$

$$= 36 \text{ mm}$$

Portion (2) ($40 \text{ mm} \times 12 \text{ mm}$)

$$a_2 = 40 \times 12 = 480 \text{ mm}^2$$

$$x_2 = \frac{40}{2} = 20 \text{ mm}$$

$$y_2 = \frac{12}{2} = 6 \text{ mm}$$

$$\bar{x} = \frac{a_1 x_1 + a_2 x_2}{a_1 + a_2} = \frac{(576 \times 6) + (480 \times 20)}{576 + 480}$$

$$= 12.36 \text{ mm}$$

$$\bar{y} = \frac{a_1 y_1 + a_2 y_2}{a_1 + a_2} = \frac{(576 \times 36) + (480 \times 6)}{576 + 480}$$

$$= 22.36 \text{ mm}$$



$$I_{xx} = I_1 + I_2$$

$$I_1 = I_{G_1} + A_1 \bar{h}_1^2$$

$$= \frac{12 \times 48^3}{12} + [(12 \times 48) \times 16.36^2] \quad \bar{h}_1 = 22.36 \text{ mm}$$

$$= 2.177 \times 10^5 \text{ mm}^4$$

$$I_2 = I_{G_2} + A_2 \bar{h}_2^2$$

$$= \frac{40 \times 12^3}{12} + [(40 \times 12) \times 16.36^2]$$

$$= 1.342 \times 10^5 \text{ mm}^4$$

$$I_{xx} = (2.177 \times 10^5) + (1.342 \times 10^5)$$

$$= 3.519 \times 10^5 \text{ mm}^4$$

M.I about yy axis

$$I_{yy} = I_1 + I_2$$

$$I_1 = I_{G_1} + A_1 \bar{h}_1^2$$

$$= \frac{48 \times 12^3}{12} + [(48 \times 12) \times 6.36^2]$$

$$= 3.021 \times 10^4 \text{ mm}^4$$

$$\bar{h}_1 = 12.36 \text{ mm}$$

$$I_2 = I_{G_2} + A_2 \bar{h}_2^2$$

$$= \frac{12 \times 40^3}{12} + [(12 \times 40) \times 16.36^2]$$

$$= 9.201 \times 10^4 \text{ mm}^4$$


$$\bar{h}_2 = 12.36 \text{ mm}$$



$$I_{yy} = I_1 + I_2 \\ = (3.021 \times 10^4) + (9.201 \times 10^4)$$

$$= 1.222 \times 10^5 \text{ mm}^4.$$

5. Find the M.I of Composite plane figures as shown in figure about its bottom edge AB.



Location of centroid is not required.

$$(I_{AB})_1 = (I_{AB})_1 + (I_{AB})_2$$

$$(I_{AB})_1 = I_{G_1} + A_1 \bar{h}_1^2$$

$$I_{G_1} = \frac{bd^3}{12} = \frac{24 \times 16^3}{12}$$

$$= 8192 \text{ cm}^4$$

$$A_1 = 24 \times 16 = 384 \text{ cm}^2$$

$$\bar{h}_1 = \frac{16}{2} = 8 \text{ cm}$$

$$(I_{AB})_1 = 8192 + [384 \times 8^2]$$

$$= 32768 \text{ cm}^4$$

$$(I_{AB})_2 = I_{G_2} + A_2 \bar{h}_2^2$$

$$I_{G_2} = \frac{bh^3}{36} = \frac{12 \times 9^3}{36}$$

$$A_2 = b \frac{h}{2} = \frac{12 \times 9}{2}$$

$$\left| \begin{array}{l} \bar{h}_2 = \left(\frac{1}{3} \times 9\right) + 16 \\ = 19 \text{ cm} \end{array} \right.$$



$$(I_{AB})_2 = \frac{12 \times 9^3}{36} + \left[\frac{12 \times 9}{2} \times 19^2 \right]$$

$$= 19737 \text{ cm}^4.$$

$$I_{AB} = 32768 + 19737$$

$$= 52505 \text{ cm}^4.$$