



# SNS COLLEGE OF TECHNOLOGY

Coimbatore-35  
An Autonomous Institution



Accredited by NBA – AICTE and Accredited by NAAC – UGC with 'A+' Grade  
Approved by AICTE, New Delhi & Affiliated to Anna University, Chennai

## 19ECB231 – DIGITAL ELECTRONICS

II YEAR/ III SEMESTER

Boolean Postulates and Laws - Demorgan's  
theorem-Principle of Duality/19ECB231  
Digital Electronics/E.Ramya /AP/ECE/SNSCT

### UNIT 1 – MINIMIZATION TECHNIQUES AND LOGIC GATES

TOPIC 2 - BOOLEAN POSTULATES AND LAWS - DEMORGAN'S THEOREM-PRINCIPLE  
OF DUALITY



# BOOLEAN ALGEBRA AND THEOREMS



Boolean Algebra is an algebraic structure defined on a set of two elements,  $B = \{0,1\}$  together with two binary operators  $+$  and  $*$

**Postulates :** The postulates are basic axioms of the algebraic structure and need no proof.

**Closure:** The set is closed with respect to the operator  $+$  and  $.$  Since the result of each operation is either 1 or 0.



## IDENTITY LAW



- $A \cdot 1 = A$
- A Variable AND with 1 is always equal to the variable
  
- $A + 0 = A$
- A variable OR with 0 is always equal to the variable.



# ANNULMENT LAW



- $A \cdot 0 = 0$ 
  - A variable AND'ed with **0** is always equal to **0**
- $A + 1 = 1$ 
  - A variable OR'ed with **1** is always equal to **1**



## IDEMPOTENT LAW



- $A + A = A$ 
  - A variable OR'ed with itself is always equal to the variable
- $A \cdot A = A$ 
  - A variable AND'ed with itself is always equal to the variable



## COMPLEMENT LAW



- $A \cdot \bar{A} = 0$ 
  - A variable AND'ed with its complement is always equal to **0**
- $A + \bar{A} = 1$ 
  - A variable OR'ed with its complement is always equal to **1**




## COMMUTATIVE LAW




- $A \cdot B = B \cdot A$ 
  - The order in which two variables are AND'ed makes no difference
- $A + B = B + A$ 
  - The order in which two variables are OR'ed makes no difference




# COMMUTATIVE LAW




$A \cdot B$



$B \cdot A$



$A + B$



$B + A$





## ASSOCIATIVE LAW




- Allows the removal of brackets from the expression
- $A + (B + C) = (A + B) + C = A + B + C$ 
  - OR Associate Law
- $A(B.C) = (A.B)C = A . B . C$ 
  - AND Associate Law



## ASSOCIATIVE LAW



$$\diamond A+(B+C)=(A+B)+C$$



$$\diamond A \cdot (B \cdot C) = (A \cdot B) \cdot C$$





## DISTRIBUTIVE LAW




- Permits the Multiplying or factors of the variable
- $A(B + C) = A.B + A.C$ 
  - OR Distributive Law
- $A + (B.C) = (A + B).(A + C)$ 
  - AND Distributive Law



## DISTRIBUTIVE LAW



$$(A + B) \cdot (A + C)$$



A	B	C	Q
0	0	0	0
0	0	1	0
0	1	0	0
0	1	1	1
1	0	0	1
1	0	1	1
1	1	0	1
1	1	1	1



## DOUBLE NEGATION LAW



- Inversion of a term twice with result in the same term
- $\overline{\overline{A}} = A$   $\overline{\overline{A}}$  double complement of a variable is always equal to the variable

# DEMORGAN'S LAW



- Works Depending on the concept of Duality
- Helps in solving the algebraic problems in digital electronics
- $(A.B)' = A' + B'$ .
  - The negation of a conjunction is the disjunction of the negations, which means that the complement of the product of two variables is equal to the sum of the compliments of individual variables.
- $(A + B)' = A'B'$ .
  - The negation of disjunction is the conjunction of the negations, which means that compliment of the sum of two variables is equal to the product of the complement of each variable.



## DUALITY LAW



- How to apply the duality principle?
  - 1's and 0's are interchanged.
  - AND or OR operators are interchanged.
  - Variables are left unchanged.
- Dual theorem is still true!

(T1)	$X + 0 = X$	(T1')	$X \cdot 1 = X$	(Identities)
(T2)	$X + 1 = 1$	(T2')	$X \cdot 0 = 0$	(Null elements)
(T3)	$X + X = X$	(T3')	$X \cdot X = X$	(Idempotency)
(T4)	$(X')' = X$			(Involution)
(T5)	$X + X' = 1$	(T5')	$X \cdot X' = 0$	(Complements)



## ASSESSMENTS



1. State Demorgans theorem
2. What is meant by Duality law
3. State the Commutative property.





**THANK YOU**