



Bayesian Classification

T.R.Lekhaa
AP/IT



What are Bayesian Classifier?



- Statistical Classifier.
- Predict class membership probabilities.
- i.e The probability that a given tuple belongs to a particular class.
- Based on Baye's Theorem.



Baye's Theorem

$$P(H|X) = \frac{P(X|H)P(H)}{P(X)}$$

$P(H|X)$ = *Posterior Probability of H Conditioned on X.*

E.g., H is the hypothesis that our customer will buy a computer. Then $P(H|X)$ reflects the probability that customer X will buy a Computer given that we know the age and income of the customer.



Contd...



$P(H)$ = Prior probability of H.

E.g., Probability that any given customer will buy a computer regardless of age, income or any other information for that matter.

$P(X | H)$ = Posterior probability of X conditioned on H.

E.g., Probability that a customer, X is 35 years old and earn \$40,000 given that we know the customer will buy a computer.



Contd...



- $P(X)$ = Prior probability.
- E.g., probability that a person from our set of customers is 35 years old and earns \$40,000



Naïve Bayesian Classifier

- Let D be a training set of tuples and their associated class labels, and each tuple is represented by an n -D attribute vector $\mathbf{X} = (x_1, x_2, \dots, x_n)$
- Suppose there are m classes C_1, C_2, \dots, C_m .
- Classification is to derive the maximum posteriori, i.e., the maximal $P(C_i|\mathbf{X})$. i.e. \mathbf{X} belongs to class C_i if and only if
$$P(C_i|X) > P(C_j|X) \text{ for } 1 \leq j \leq m, j \neq i$$

- This can be derived from Bayes' theorem

$$P(C_i|\mathbf{X}) = \frac{P(\mathbf{X}|C_i)P(C_i)}{P(\mathbf{X})}$$

- Since $P(\mathbf{X})$ is constant for all classes, only

needs to be maximized $P(C_i|\mathbf{X}) = P(\mathbf{X}|C_i)P(C_i)$



Derivation of Naïve Bayes Classifier

- A simplified assumption: attributes are **conditionally independent** (i.e., no dependence relation between attributes):

$$P(\mathbf{X} | C_i) = \prod_{k=1}^n P(x_k | C_i) = P(x_1 | C_i) \times P(x_2 | C_i) \times \dots \times P(x_n | C_i)$$

- This greatly reduces the computation cost: Only counts the class distribution
- If A_k is categorical, $P(x_k|C_i)$ is the # of tuples in C_i having value x_k for A_k divided by $|C_{i,D}|$ (# of tuples of C_i in D)
- If A_k is continuous-valued, $P(x_k|C_i)$ is usually computed based on Gaussian distribution with a mean μ and standard deviation σ

$$g(x, \mu, \sigma) = \frac{1}{\sqrt{2\pi}\sigma} e^{-\frac{(x-\mu)^2}{2\sigma^2}}$$

and $P(x_k|C_i)$ is

$$P(\mathbf{X} | C_i) = g(x_k, \mu_{C_i}, \sigma_{C_i})$$



Naïve Bayesian Classifier: Training Dataset

Class:

C1:buys_computer = 'yes'

C2:buys_computer = 'no'

Data sample

X = (age <=30,

Income = medium,

Student = yes

Credit_rating = Fair)

age	income	student	credit rating	buys computer
<=30	high	no	fair	no
<=30	high	no	excellent	no
31...40	high	no	fair	yes
>40	medium	no	fair	yes
>40	low	yes	fair	yes
>40	low	yes	excellent	no
31...40	low	yes	excellent	yes
<=30	medium	no	fair	no
<=30	low	yes	fair	yes
>40	medium	yes	fair	yes
<=30	medium	yes	excellent	yes
31...40	medium	no	excellent	yes
31...40	high	yes	fair	yes
>40	medium	no	excellent	no



Naïve Bayesian Classifier: Example

- Compute $P(X/C_i)$ for each class

$$P(\text{age}=\text{"<30"} \mid \text{buys_computer}=\text{"yes"}) = 2/9=0.222$$

$$P(\text{age}=\text{"<30"} \mid \text{buys_computer}=\text{"no"}) = 3/5 =0.6$$

$$P(\text{income}=\text{"medium"} \mid \text{buys_computer}=\text{"yes"})= 4/9 =0.444$$

$$P(\text{income}=\text{"medium"} \mid \text{buys_computer}=\text{"no"}) = 2/5 = 0.4$$

$$P(\text{student}=\text{"yes"} \mid \text{buys_computer}=\text{"yes"})= 6/9 =0.667$$

$$P(\text{student}=\text{"yes"} \mid \text{buys_computer}=\text{"no"})= 1/5=0.2$$

$$P(\text{credit_rating}=\text{"fair"} \mid \text{buys_computer}=\text{"yes"})=6/9=0.667$$

$$P(\text{credit_rating}=\text{"fair"} \mid \text{buys_computer}=\text{"no"})=2/5=0.4$$



Contd...

$X=(age \leq 30, income = medium, student = yes, credit_rating = fair)$

$$P(X|C_i) : P(X|buys_computer = \text{"yes"}) = 0.222 \times 0.444 \times 0.667 \times 0.0667 = 0.044$$

$$P(X|buys_computer = \text{"no"}) = 0.6 \times 0.4 \times 0.2 \times 0.4 = 0.019$$

$$P(X|C_i) * P(C_i) : P(X|buys_computer = \text{"yes"}) * P(buys_computer = \text{"yes"}) = 0.028$$

$$P(buys_computer = \text{"yes"}) = 9/14 = 0.643.$$

$$P(X|c_i) * P(C_i) = 0.044 * 0.643 = 0.028$$



Avoiding the 0-Probability Problem

- Naïve Bayesian prediction requires each conditional prob. be non-zero. Otherwise, the predicted prob. will be zero


$$P(X | C_i) = \prod_{k=1}^n P(x_k | C_i)$$

- Ex. Suppose a dataset with 1000 tuples, income=low (0), income=medium (990), and income = high (10),
- Use Laplacian correction (or Laplacian estimator)
 - Adding 1 to each case
 - Prob(income = low) = 1/1003
 - Prob(income = medium) = 991/1003
 - Prob(income = high) = 11/1003
 - The “corrected” prob. estimates are close to their “uncorrected” counterparts



Bayesian Belief Networks

- Bayesian belief network allows a *subset* of the variables conditionally independent
- A graphical model of causal relationships
 - Represents dependency among the variables
 - Gives a specification of joint probability distribution



- Nodes: random variables
- Links: dependency
- X and Y are the parents of Z, and Y is the parent of P
- No dependency between Z and P
- Has no loops or cycles




Bayesian networks

- A simple, graphical notation for conditional independence assertions and hence for compact specification of full joint distributions
- Syntax:
 - a set of nodes, one per variable
 - a directed, acyclic graph (link \approx "directly influences")
 - a conditional distribution for each node given its parents:
$$P(X_i | \text{Parents}(X_i))$$
- In the simplest case, conditional distribution represented as a **conditional probability table (CPT)** giving the distribution over X_i for each combination of parent values



Example

- Topology of network encodes conditional independence assertions:



- *Weather* is independent of the other variables
- *Toothache* and *Catch* are conditionally independent given *Cavity*



Thank You...