

UNIT - I

1. What is software engineering?

Software engineering is a discipline in which theories, methods and tools are applied to develop professional software.

2. What is Software?

Software is nothing but a collection of computer programs that are related documents that are indented to provide desired features, functionalities and better performance.

3. What are the characteristics of the software?

- Ø Software is engineered, not manufactured.
- Ø Software does not wear out.
- Ø Most software is custom built rather than being assembled from components.

4. What are the various categories of software?

- Ø System software
- Ø Application software
- Ø Engineering/Scientific software
- Ø Embedded software
- Ø Web Applications
- Ø Artificial Intelligence software

5. What are the challenges in software?

- Ø Copying with legacy systems.
- Ø Heterogeneity challenge
- Ø Delivery times challenge

6. Define software process.

Software process is defined as the structured set of activities that are required to develop the software system.

7. What are the fundamental activities of a software process?

Ø Specification

Ø Design and implementation

Ø Validation

Ø Evolution

8. What are the umbrella activities of a software process?

Ø Software project tracking and control.

Ø Risk management.

Ø Software Quality Assurance.

Ø Formal Technical Reviews.

Ø Software Configuration Management.

Ø Work product preparation and production.

Ø Reusability management.

Ø Measurement.

9. What are the merits of incremental model?

i. The incremental model can be adopted when there are less number of people involved in the project.

ii. Technical risks can be managed with each increment.

iii. For a very small time span, at least core product can be delivered to the customer.

10. List the task regions in the Spiral model.

Ø Customer communication – In this region it is suggested to establish customer communication.

Ø Planning – All planning activities are carried out in order to define resources timeline and other project related activities.

Ø Risk analysis – The tasks required to calculate technical and management risks.

Ø Engineering – In this the task region, tasks required to build one or more representations of applications are carried out.

Ø Construct and release – All the necessary tasks required to construct, test, install the applications are conducted. $\frac{3}{4}$ Customer evaluation – Customer's feedback is

obtained and based on the customer evaluation required tasks are performed and implemented at installation stage.

11. What are the drawbacks of spiral model?

i. It is based on customer communication. If the communication is not proper then the software product that gets developed will not be the up to the mark.

ii. It demands considerable risk assessment. If the risk assessment is done properly then only the successful product can be obtained.

12. What is System Engineering?

System Engineering means designing, implementing, deploying and operating systems which include hardware, software and people

13. List the process maturity levels in SEIs CMM.

Level 1: Initial – Few processes are defined and individual efforts are taken.

Level 2: Repeatable – To track cost schedule and functionality basic project management processes are established.

Level 3: Defined – The process is standardized, documented and followed.

Level 4: Managed – Both the software process and product are quantitatively understood and controlled using detailed measures.

Level 5: Optimizing – Establish mechanisms to plan and implement change.

14. What is an effector process?

The effector process is a process that verifies itself. The effector process exists in certain criteria.

15. Define the computer based system.

The computer based system can be defined as “a set or an arrangement of elements that are organized to accomplish some predefined goal by processing information”.

Unit-2

16. Define software prototyping.

Software prototyping is defined as a rapid software development for validating the requirements

17. What are the benefits of prototyping?

- i. Prototype serves as a basis for deriving system specification.
- ii. Design quality can be improved.
- iii. System can be maintained easily.
- iv. Development efforts may get reduced.
- v. System usability can be improved.

18. What are the prototyping approaches in software process?

- i. Evolutionary prototyping – In this approach of system development, the initial prototype is prepared and it is then refined through number of stages to final stage.
- ii. Throw-away prototyping – Using this approach a rough practical implementation of the system is produced. The requirement problems can be identified from this implementation. It is then discarded. System is then developed using some different engineering paradigm.

19. What are the advantages of evolutionary prototyping?

- i. Fast delivery of the working system.
- ii. User is involved while developing the system.
- iii. More useful system can be delivered.

iv. Specification, design and implementation work in co-ordinated manner.

20. What are the various Rapid prototyping techniques?

i. Dynamic high level language development. ii. Database programming.

iii. Component and application assembly.

21. What is the use of User Interface prototyping?

This prototyping is used to pre-specify the look and feel of user interface in an effective way.

22. What are the characteristics of SRS?

i. Correct – The SRS should be made up to date when appropriate requirements are identified.

ii. Unambiguous – When the requirements are correctly understood then only it is possible to write an unambiguous software.

iii. Complete – To make SRS complete, it should be specified what a software designer wants to create software.

iv. Consistent – It should be consistent with reference to the functionalities identified.

v. Specific – The requirements should be mentioned specifically.

vi. Traceable – What is the need for mentioned requirement? This should be correctly identified.

23. What are the objectives of Analysis modeling?

i. To describe what the customer requires.

ii. To establish a basis for the creation of software design.

iii. To devise a set of valid requirements after which the software can be built.

24. What is data modeling?

Data modeling is the basic step in the analysis modeling. In data modeling the data objects are examined independently of processing. The data model represents how data are related with one another.

25. What is a data object?

Data object is a collection of attributes that act as an aspect, characteristic, quality, or descriptor of the object.

26. What are attributes?

Attributes are the one, which defines the properties of data object.

27. What is cardinality in data modeling?

Cardinality in data modeling, cardinality specifies how the number of occurrences of one object is related to the number of occurrences of another object.

28. What does modality in data modeling indicates?

Modality indicates whether or not a particular data object must participate in the relationship.

29. What is ERD?

Entity Relationship Diagram is the graphical representation of the object relationship pair. It is mainly used in database applications.

30. What is DFD?

Data Flow Diagram depicts the information flow and the transforms that are applied on the data as it moves from input to output.

31. What does Level0 DFD represent?

Level0 DFD is called as „fundamental system model“ or „context model“. In the context model the entire software system is represented by a single bubble with input and output indicated by incoming and outgoing arrows.

32. What is a state transition diagram?

State transition diagram is basically a collection of states and events. The events cause the system to change its state. It also represents what actions are to be taken on the occurrence of particular event.

33. Define Data Dictionary.

The data dictionary can be defined as an organized collection of all the data elements of the system with precise and rigorous definitions so

that user and system analyst will have a common understanding of inputs, outputs, components of stores and intermediate calculations.

Unit-3

34. What are the elements of design model?

- i. Data design
- ii. Architectural design
- iii. Interface design
- iv. Component-level design

35. Define design process.

■ Design process is a sequence of steps carried through which the requirements are translated into a system or software model.

36. List the principles of a software design.

- i. The design process should not suffer from “tunnel vision”.
- ii. The design should be traceable to the analysis model.
- iii. The design should exhibit uniformity and integration.
- iv. Design is not coding.
- v. The design should not reinvent the wheel.

37. What is the benefit of modular design?

Changes made during testing and maintenance becomes manageable and they do not affect other modules.

38. What is a cohesive module?

A cohesive module performs only “one task” in software procedure with little interaction with other modules. In other words cohesive module performs only one thing.

39. What are the different types of Cohesion?

- i. Coincidentally cohesive –The modules in which the set I of tasks are related with each other loosely then such modules are called coincidentally cohesive.

ii. Logically cohesive – A module that performs the tasks that are logically related with each other is called logically cohesive.

iii. Temporal cohesion – The module in which the tasks need to be executed in some specific time span is called temporal cohesive.

iv. Procedural cohesion – When processing elements of a module are related with one another and must be executed in some specific order then such module is called procedural cohesive.

v. Communicational cohesion – When the processing elements of a module share the data then such module is called communicational cohesive.

40. What is Coupling?

Coupling is the measure of interconnection among modules in a program structure. It depends on the interface complexity between modules.

41. What are the various types of coupling?

i. Data coupling – The data coupling is possible by parameter passing or data interaction.

ii. Control coupling – The modules share related control data in control coupling.

iii. Common coupling – The common data or a global data is shared among modules. iv. Content coupling – Content coupling occurs when one module makes use of data or control information maintained in another module.

42. What are the common activities in design process?

i. System structuring – The system is subdivided into principle subsystems components and communications between these subsystems are identified.

ii. Control modeling – A model of control relationships between different parts of the system is established.

iii. Modular decomposition – The identified subsystems are decomposed into modules.

43. What are the benefits of horizontal partitioning?

- i. Software that is easy to test.
- ii. Software that is easier to maintain.
- iii. Propagation of fewer sideeffects.
- iv. Software that is easier to extend.

44. What is vertical partitioning?

Vertical partitioning often called factoring suggests that the control and work should be distributed top-down in program structure.

45. What are the advantages of vertical partitioning?

- i. These are easy to maintain changes.
- ii. They reduce the change impact and error propagation.

46. What are the various elements of data design?

- i. Data object – The data objects are identified and relationship among various data objects can be represented using ERD or data dictionaries.
- ii. Databases – Using software design model, the data models are translated into data structures and data bases at the application level.
- iii. Data warehouses – At the business level useful information is identified from various databases and the data warehouses are created.

47. List the guidelines for data design.

- i. Apply systematic analysis on data.
- ii. Identify data structures and related operations.
- iii. Establish data dictionary.
- iv. Use information hiding in the design of data structure.
- v. Apply a library of useful data structures and operations.

48. Name the commonly used architectural styles.

- i. Data centered architecture.
- ii. Data flow architecture.
- iii. Call and return architecture.
- iv. Object-oriented architecture.
- v. Layered architecture.

49. What is Transform mapping?

The transform mapping is a set of design steps applied on the DFD in order to map the transformed flow characteristics into specific architectural style.

50. What is a Real time system?

Real time system is a software system in which the correct functionalities of the system are dependent upon results produced by the system and the time at which these results are produced.

51. What is SCM?

Software Configuration Management is a set of activities carried out for identifying, organizing and controlling changes throughout the lifecycle of computer software.

52. What is SCI?

Software Configuration Item is information that is carried as part of the software engineering process.

Unit-4

53. Define software testing?

Software testing is a critical element of software quality assurance and represents the ultimate review of specification, design, and coding.

54. What are the objectives of testing?

- i. Testing is a process of executing a program with the intend of finding an error.
- ii. A good test case is one that has high probability of finding an undiscovered error.
- iii. A successful test is one that uncovers as an-yet undiscovered error.

55. What are the testing principles the software engineer must apply while performing the software testing?

- i. All tests should be traceable to customer requirements.
- ii. Tests should be planned long before testing begins.

iii. The pareto principle can be applied to software testing-80% of all errors uncovered during testing will likely be traceable to 20% of all program modules. iv. Testing should begin “in the small” and progress toward testing “in the large”.

v. Exhaustive testing is not possible.

vi. To be most effective, an independent third party should conduct testing.

56. What are the two levels of testing?

i. Component testing Individual components are tested. Tests are derived from developer’s experience.

ii. System Testing The group of components are integrated to create a system or sub- system is done. These tests are based on the system specification.

57. What are the various testing activities?

i. Test planning

ii. Test case design

iii. Test execution iv. Data collection

v. Effective evaluation

58. Write short note on black box testing.

The black box testing is also called as behavioral testing. This method fully focuses on the functional requirements of the software. Tests are derived that fully exercise all functional requirements.

59. What is equivalence partitioning?

Equivalence partitioning is a black box technique that divides the input domain into classes of data. From this data test cases can be derived. Equivalence class represents a set of valid or invalid states for input conditions.

60. What is a boundary value analysis?

A boundary value analysis is a testing technique in which the elements at the edge of the domain are selected and tested. It is a test case design

technique that complements equivalence partitioning technique. Here instead of focusing on input conditions only, the test cases are derived from the output domain.

61. What are the reasons behind to perform white box testing?

There are three main reasons behind performing the white box testing.

1. Programmers may have some incorrect assumptions while designing or implementing

some functions. Due to this there are chances of having logical errors in the program. To detect and

correct such logical errors procedural details need to be examined.

2. Certain assumptions on flow of control and data may lead programmer to make design errors. To uncover the errors on logical path, white box testing is must.

3. There may be certain typographical errors that remain undetected even after syntax and type checking mechanisms. Such errors can be uncovered during white box testing.

62. What is cyclomatic complexity?

Cyclomatic complexity is a software metric that gives the quantitative measure of logical complexity of the program. The Cyclomatic complexity defines the number of independent paths in the basis set of the program that provides the upper bound for the number of tests

that must be conducted to ensure that all the statements have been executed at least once.

63. How to compute the cyclomatic complexity?

The cyclomatic complexity can be computed by any one of the following ways.

1. The numbers of regions of the flow graph correspond to the cyclomatic complexity.

2. Cyclomatic complexity, $V(G)$, for the flow graph, G , is defined as:
 $V(G) = E - N + 2$,

E -- number of flow graph edges, N -- number of flow graph nodes

3. $V(G)=P+1$ Where P is the number of predicate nodes contained in the flow graph.

64. Distinguish between verification and validation. $\frac{3}{4}$ _Verification refers to the set of activities that ensure that software correctly implements a specific function.

$\frac{3}{4}$ _Validation refers to a different set of activities that ensure that the software that has been built is traceable to the customer requirements.

According to Boehm,

Ø Verification:” Are we building the product right?”

Ø Validation:” Are we building the right product?”

65. What are the various testing strategies for conventional software?

i. Unit testing ii. Integration testing. iii. Validation testing. iv. System testing.

66. Write about drivers and stubs.

Drivers and stub software need to be developed to test incompatible software.

Ø The “ driver” is a program that accepts the test data and prints the relevant results.

Ø The “ stub” is a subprogram that uses the module interfaces and performs the

minimal data manipulation if required.

Unit-5

67. Define measure.

Measure is defined as a quantitative indication of the extent, amount, dimension, or size of some attribute of a product or process.

68. Define metrics.

Metrics is defined as the degree to which a system component, or process possesses a given attribute.

69. What are the types of metrics?

Ø Direct metrics – It refers to immediately measurable attributes.
Example – Lines of code, execution speed.

Ø Indirect metrics – It refers to the aspects that are not immediately quantifiable or measurable. Example – functionality of a program.

70. What are the advantages and disadvantages of size measure?

Advantages:

Ø Artifact of software development which is easily counted.

Ø Many existing methods use LOC as a key input.

Ø A large body of literature and data based on LOC already exists.

Disadvantages:

Ø This method is dependent upon the programming language.

Ø This method is well designed but shorter program may get suffered.

Ø It does not accommodate non procedural languages.

Ø In early stage of development it is difficult to estimate LOC.

71. Write short note on the various estimation techniques.

Ø Algorithmic cost modeling – the cost estimation is based on the size of the software.

Ø Expert judgement – The experts from software development and the application

domain use their experience to predict software costs.

Ø Estimation by analogy – The cost of a project is computed by comparing the project to a similar project in the same application domain and then cost can be computed.

Ø Parkinson's law – The cost is determined by available resources rather than by objective assessment.

Ø Pricing to win – The project costs whatever the customer ready to spend it.

72. What is COCOMO model?

CONstructive COst MOdel is a cost model, which gives the estimate of number of man- months it will take to develop the software product.

73. Give the procedure of the Delphi method.

1. The co-ordinator presents a specification and estimation form to each expert.
2. Co-ordinator calls a group meeting in which the experts discuss estimation issues with the coordinator and each other.
3. Experts fill out forms anonymously.
4. Co-ordinator prepares and distributes a summary of the estimates.
5. The Co-ordinator then calls a group meeting. In this meeting the experts mainly discuss the points where their estimates vary widely.
6. The experts again fill out forms anonymously.
7. Again co-ordinator edits and summarizes the forms, repeating steps 5 and 6 until the co-ordinator is satisfied with the overall prediction synthesized from experts.

74. What is the purpose of timeline chart?

The purpose of the timeline chart is to emphasize the scope of the individual task. Hence set of tasks are given as input to the timeline chart.

75. What is EVA?

Earned Value Analysis is a technique of performing quantitative analysis of the software Project. It provides a common value scale for every task of software project. It acts as a measure for software project progress.

76. What are the metrics computed during error tracking activity?

- Ø Errors per requirement specification page.
- Ø Errors per component-design level

Ø Errors per component-code level

Ø DRE-requirement analysis

Ø DRE-architectural analysis

Ø DRE-component level design

Ø DRE-coding.

77. Why software change occurs?

Software change occurs because of the following reasons. New requirements emerge when the software is used. The business environment changes. Errors need to be repaired. New equipment must be accommodated. The performance or reliability may have to be improved.

78. Write about software change strategies.

The software change strategies that could be applied separately or together are:

Ø Software maintenance – The changes are made in the software due to

requirements.

Ø Architectural transformation – It is the process of changing one architecture into another form.

Ø Software re-engineering – New features can be added to existing system and then the system is reconstructed for better use of it in future.

79. What is software maintenance?

Software maintenance is an activity in which program is modified after it has been put into use.

80. Define maintenance.

Maintenance is defined as the process in which changes are implemented by either modifying the existing system's architecture or by adding new components to the system.

81. What are the types of software maintenance?

Ø Corrective maintenance – Means the maintenance for correcting the software faults.

Ø Adaptive maintenance – Means maintenance for adapting the change in environment.

Ø Perfective maintenance – Means modifying or enhancing the system to meet the new requirements.

Ø Preventive maintenance – Means changes made to improve future maintainability.

82. What is architectural evolution?

Architectural evolution is the process of changing a system from a centralized architecture to a distributed architecture like client server.

83. How the CASE tools are classified?

CASE tools can be classified by a. By function or use

b. By user type(e.g. manager,tester),or

c. By stage in software engineering process (e.g.requirements,test).

84. What are the types of static testing tools?

There are three types of static testing tools.

Ø Code based testing tools – These tools take source code as input and generate test cases.

Ø Specialized testing tools – Using this language the detailed test specification can

be written for each test case.

Ø Requirement-based testing tools – These tools help in designing the test cases as per user requirements.