





AN AUTONOMOUS INSTITUTION

Approved by AICTE New Delhi & Affiliated to Anna University Chennai Accredited by NBA & Accredited by NAAC with "A++" Grade, Recognized by UGC

COIMBATORE

### **DEPARTMENT OF CIVIL ENGINEERING**

#### 23GET102-BASIC CIVIL AND MECHANICAL ENGINEERING

#### I YEAR / I SEMESTER


# **Unit 1 : Civil Engineering Materials and Surveying Topic : SUB STRUCTURE-TYPES OF FOUNDATION**



### **Bearing Capacity**



The maximum load per unit area which the soil can withstand without any displacement or settlement or shear failure is called the "Safe bearing capacity of the soil.



Bearing Capacity-Requirements of Good Foundations/ 23GET102 -CE/ /MINIMOL J S. / AP / CIVIL/ SNSCT







# Bearing Capacity Of Different Types Of Soil Soil Type Allowable Bearing Drainage Image: Marcine Content of Conte

1 AN	产和新	Soil Type	Allowable Bearing (lb/ft2)	Drainage	
Clay	Loam	BEDROCK	4,000 to 12,000	Poor	
		GRAVELS	3,000	Good	
		GRAVELS w/ FINES	3,000	Good	
Sand	Gravel	SAND	2,000	Good	
		SAND W/ FINES	2,000	Good	[4444444]
		SILT	1,500	Medium	
		CLAYS	1,500	Medium	
		ORGANICS	0 to 400	Poor	

Bearing Capacity-Requirements of Good Foundations/23GET102 -CE/ /MINIMOL J S. / AP / CIVIL/ SNSCT





#### **REQUIREMENTS OF GOOD FOUNDATION**

- The foundation should have the capacity to carry all imposed loads without failure.
- The settlement should be with in permissible limits
- The centre of gravity of the base plane and the centre of gravity of the foundation should be in the same vertical plane.
- No resonance should occur
- The amplitudes under the s should be in permissible limits.

ervice conditions,

The foundation should be planned so as to permit a subsequent alteration of natural frequency.





## **REQUIREMENTS OF GOOD FOUNDATION**

- Expanision joints should be implemented to separate machine foundations from adjacent buildings.
- The Ground water table should be as low as possible and ground water level must be deeper by one-fourth width of foundation below base plane
- Steam (or) hot air pipes must be properly isolated, when embedded in the foundation.
- The foundation should be protected from machine oil by suitable chemical element.
- Machine foundations should have a deeper foundations level than the foundation of adjoint buildings.





# Thank You!!

Bearing Capacity-Requirements of Good Foundations/ 23GET102 -CE/ /MINIMOL J S. / AP / CIVIL/ SNSCT