






B.E-ELECTRONICS AND COMMUNICATION ENGINEERING

19GET276- VQAR-II TOPIC:CODED INEQUALITY AND MIRROR IMAGE







- A coded inequality is a type of inequality in which certain letters or symbols are used to represent numbers or operations.
- The aim is to find the relationship between the given coded expression and the values of the variables it represents





- Coded inequality rules are a set of rules that help in solving questions based on coded inequalities.
- The rules for solving such problems are as follows
- Equality sign: If the coded inequality includes the equality sign (=), it means that the two variables are equal in value.
- **Direction of inequality symbols:** The direction of the inequality symbol (< or >) should be read from left to right, unless otherwise specified





• **Alphabetical order:** If the coded inequality involves letters, they should be arranged in alphabetical order.

• Numerical order: If the coded inequality involves numbers, they should be arranged in numerical order.

• Transitive property: If A>B and B>C, then A>C. This is the transitive property of inequality





• **Reverse inequality:** If the inequality sign is reversed, the order of the variables is also reversed.

- Combining inequalities: If two or more inequalities are given, they can be combined to get a new inequality.
- **Substitution:** If a variable is given in terms of another variable, the value of one variable can be substituted in terms of the other variable to solve the





- For example, consider the coded inequality:
- A > B = C < D

- Here, A, B, C, and D are variables that represent unknown numbers.
- The symbols ">" and "<" represent the operations of greater than and less than, respectively, while the symbol "=" represents equality.





- To solve this inequality, we need to decode the coded expressions and determine the actual relationships between the variables. We can do this by using the following rules:
- If two variables are connected by the symbol ">", the value of the variable on the left is greater than the value of the variable on the right.
- If two variables are connected by the symbol "<", the value of the variable on the left is less than the value of the variable on the right.
- If two variables are connected by the symbol "=", the 4/3/20alues of the two variables are equal.





• Using these rules, we can decode the coded inequality as follows:

• A > B (Rule 1) B = C (Rule 3) C < D (Rule 2)

• Combining these relationships, we can conclude that A > B = C < D, which means that A is greater than B and D is greater than C, while B and C are equal.





• Mirror image could refer to a visual question that asks the test taker to identify the correct mirror image of a given object.

• For example, a question might show a picture of a letter "A" and ask which of the answer choices is the correct mirror image of the letter "A".





Letters	Mirror Image	Letters	Mirror Image	Letters	Mirror Image	Letters	Mirror Image
Α	Α	н	н	0	О	v	V
В	В	1	1	P	P	W	W
С	Э	J	l	Q	Q	X	X
D	а	K	К	R	Я	Y	Υ
E	3	L	J	S	S	Z	Z
F	7	M	M	т	Т		
G	Э	N	И	U	U		

Capital Letters Mirror Image





Letters	Mirror Image	Letters	Mirror Image	Letters	Mirror Image	Letters	Mirror Image
а	а	h	н	o	o	v	v
b	d	1	1	р	q	w	w
С	0	j	i	q	р	x	x
d	b	k	k	r	1	у	У
е	9	1	1	s	s	z	z
f	f	m	m	t	t		
g	g	n	n	u	IJ		

Mirror Image of Small Letters





Numbers	Mirror Image	Numbers	Mirror Image	Numbers	Mirror Imag
1	1	4	4	7	7
2	2	5	5	8	8
3	3	6	8	9	9


Mirror Image of Numbers

• 8 is the only numeral that have the same mirror image as that of its original





• **Example 1:** Choose the alternatives which is closely resembles the mirror image of the given combination.



Solution: (e) Here, the mirror is placed vertically on the RHS on the question figure. Hence, only the figure given in answer figure (e) would be obtained as the





Thank You