

CBSE Class 10Science Revision Notes CHAPTER- 01 CHEMICAL REACTION AND EQUATIONS

Chemical Reaction : Whenever a chemical change occurs we can say that a chemical reaction (permanent change) has taken place which can be expressed symbolically by a **chemical equation**.

e.g. Food gets digested in our body

• Rusting of iron.

magnesium is burnt in air to form magnesium oxide. This chemical reaction can be represented as

 $2Mg + O_2 \
ightarrow \ 2MgO$

- We can observe or recognise a chemical reaction by observing change in state, colour, by evolution of gas or by change in temperature.
- Physical state of the reactants and the products are mentioned to make chemical reaction more informative. e.g. we use (g) for gas, (l) for liquid, (s) for solid and (aq) for aqueous.

Baalanced Equation : A balacned equation is one in which the number of atoms on the reactant and product sides are equal.

coefficients $2H_2 + O_2 \rightarrow 2H_2O$

reactants

products



Balancing Equation : We balance a chemical equation so that no. of atoms of each element involved in the reaction remains the same at the reactant and product side.

$$Fe+H_2O \rightarrow Fe_2O_3 + H_2$$
 can be written as
 $3 Fe(s)+4H_2O(g) \rightarrow Fe_2O_3(s)+4H_2(g)$

Types of Reaction

I. Combination Reaction :- The reaction in which two or more substances combine to form a new single substance.

e.g.

 $CaO_{(s)} + H_2O_{(I)} \rightarrow Ca(OH)_{2(a)}$

Calcium Water Oxide Quick lime Calcium hydroxide (slaked lime)

• $C_a(OH)_2$ slaked lime is used for white washing walls. It reacts with CO_2 to form Calcium Carbonate and gives a shiny finish to the walls

 $egin{aligned} Ca(OH)_{2_{(aq)}} + CO_{2\,(g)} &
ightarrow \ CaCO_{3_{(s)}} + H_2O(l) \end{aligned}$

Calcium Hydroxide Calcium Carbonate

(ii) Burning of Coal

 $C_{(2)} + O_{2_{(g)}} \rightarrow CO_{2_{(g)}}$ + heat+ light

(iii) Formation of water

$$2H_{2_{(g)}} \ + \ O_{2(g)} \ o \ 2H_2O(l)$$

Exothermic Reactions : Reaction in which heat is released along with the formation of products.

eg.. $CH_{4_{(g)}} + 2O_{2_{(g)}} \rightarrow CO_{2_{(g)}} + 2H_2O_{(g)}$



Endothermic Reaction :The reactions which require energy in form of heat, light or electricity are called endothermic reaction


eg.. $2Ba(OH)_2 + NH_4Cl \rightarrow 2BaCl_2 + NH_4OH$

II. Decomposition Reactions :The reaction in which a single substance decomposes to give two or more substances. De composition reactions can be of three types:

DECOMPOSITION REACTIONS :-

- 1. Thermal Decomposition :- When a decomposition reaction is carried out by heating
 - eg 2 $FeSO_{4(g)} \xrightarrow{Heat} Fe_2O_{3(g)} + SO_{2(g)} + SO_{3(g)}$ Ferrous Sulphate Ferric Oxide Green Colur \rightarrow Reddish brown Colour

- 1. Electrolytic Decomposition :- When a decomposition reaction is carried out by electric current,
- 2. $H_{2_{(l)}} \xrightarrow[current]{electric} 2H_{2_{(g)}} + O_{2_{(g)}}$





e.g.
$$2AgCl_{(g)} \xrightarrow{\text{surflight}} 2Ag_{(g)} + Cl_{2(g)}$$

White colour \longrightarrow grey clour

Silver bromide behaves similarly

 $2Ag Br \xrightarrow{\text{Sunlight}} 2Ag(s) + Br_2(g)$

student The above two reactions are used in black and white photography

Silver bromide behaves similarly


 $2Ag \ Br \xrightarrow{Sunlight} 2Ag(s) \ + \ Br_2(g)$

III. Displacement Reaction: The chemical reaction in which an element displaces another element from its solution

$$Fe_{(s)} + CuSO_{_{4(aq)}} \rightarrow FeSO_4 + Cu_{(s)}$$

Copper (aq)

Sulphate Iron Sulphate



Fe being more reactive than Cu displaces it from C_uSO_4



 $Zn_{(*)} + CuSO_4 \rightarrow ZnSO_4 + Cu_{(*)}$ (aq) (aq) Copper Zinc Sulphate Sulphate $Pb_{(2)} + CuCl_2 \rightarrow PbCl_2 + Cu^{(*)}$ (aq) (aq) Copper Lead Chloride Chloride

COntents • Zinc and lead are more reactive elements than copper. They displace copper from its compounds.

IV. Double Displacement Reaction : The reaction in which two different atoms or group of atoms are mutually exchanged

$$\begin{array}{cccc} e.g..Na_2 & SO_4 + & BaCl_2 & \rightarrow BaSO_{4(*)} & +2NaCl \\ (aq) & (aq) & (aq) \end{array}$$

| Sodium | Barium | Barium | Sodium |
|----------|----------|----------|----------|
| Sulphate | Chloride | Sulphate | Chloride |

A white substance is formed due to above reaction. The insoluble substance i.e., $BaSO_4$ is called precipitate.

Precipitation Reaction – Any reaction that produces a precipitate is called a precipitation reaction.

| e.g.Pb(NO3)2 + | $2KI \rightarrow$ | $PbI_2 \downarrow$ | +2KNO3 |
|----------------|-------------------|--------------------|-----------|
| (aq) | (aq) | (aq) | |
| Lead Nitrate | Potassium | Lead | Potassium |
| | Iodide | Iodide | Nitrate |

the downward facing arrown represents the formation of precipitate.



V. Oxidation :Oxidation is the gain of oxygen or loss of hydrogen

 $e.g. \ 2Cu + O_2 \xrightarrow{Heat} 2CuO$

When copper is heated a black colour appears. If this CuO is reacted with hydrogen gas then again Cu becomes brown as reverse reaction takes place

$$C_u O \ + \ H_2 \ \stackrel{Heat}{\longrightarrow} \ Cu \ + H_2 O$$

- VI. Reduction : Reduction is the loss of oxygen or gain of hydrogen.
 - Redox Reaction : The reaction in which one reactant gets oxidised while other gets reduced

CuO + H₂ Heat Cu + H₂O
Reduction
eg..
$$ZnO + C \rightarrow Zn + CO$$

eg.. $ZnO + C \rightarrow Zn + CO$

 $MnO_2 + 4HCl \rightarrow MnCl_2 + 2H_2O + Cl_2$

· Corrosion :When a metal is attacked by substances around it such as moisture, acids etc.

(i) Rusting of iron. i.e Reddish brown coating on iron of Fe_2O_3 isformed.

(ii) Black coating on Silver.

Rusting of iron can be prevented by painting, oiling the surface or by galvanisation.

- Rancidity :When fats and oils are oxidised they become rancidand their smell and taste change.
- Antioxidants are added to foods containing fats and oil.

e.g. N₂ is added to packet of chips to prevent oxidation of fats and oils.



What you have learnt

- A complete chemical equation represents the reactants, products and their physical states symbolically.
- A chemical equation is balanced so that the numbers of atoms of each type involved in a chemical reaction are the same on the reactant and product sides of the equation. Equations must always be balanced.
- In a combination reaction two or more substances combine to form a new single substance.
- Decomposition reactions are opposite to combination reactions. In a decomposition reaction, a single substance decomposes to give two or more substances.
- Reactions in which heat is given out along with the products are called exothermic reactions.
- Reactions in which energy is absorbed are known as endothermic reactions.
- When an element displaces another element from its compound, a displacement reaction occurs.
- Two different atoms or groups of atoms (ions) are exchanged in double displacement reactions.
- Precipitation reactions produce insoluble salts.
- Reactions also involve the gain or loss of oxygen or hydrogen by substances.Oxidation
 is the gain of oxygen or loss of hydrogen. Reduction is the loss of oxygenor gain of
 hydrogen.

