(2)

(1)

## PREVIOUS HSE QUESTIONS FROM THE CHAPTER "CHEMICAL BONDING AND MOLECULAR STRUCTURE"

- 1. Draw the potential energy curve for the formation of a hydrogen molecule on the basis of inter-nuclear distance between the hydrogen atoms. (2)
- 2. (i) What is meant by dipolemoment? (1)
  - (ii) Dipolemoment of BF<sub>3</sub> is zero, but that of NH<sub>3</sub> is not zero. Why ? (2)
- 3. (i) A molecule of the type  $AB_2E_2$  has 2 bond pairs of electrons and 2 lone pairs of electrons. The most stable structure of this molecule is .
  - (A) Tetrahedral (B) Bent (C) Square planar (D) Square pyramid (1)
  - (ii) Write the important postulates of VSEPR theory.
- 4. (i) Write the molecular orbital configuration of  $O_2$  molecule. Account for its paramagnetic character. (2) (ii) Calculate the bond order of  $O_2$  molecule. [December 2021] (2)

(3)

(1)

(1)

5. Fill in the blanks :

Molecule	Structure	Bond Angle
BF <sub>3</sub>		120 <sup>0</sup>
BeCl <sub>2</sub>	Linear	

- 6. (i) What is bond order according to M.O. theory? (1) (ii) He<sub>2</sub> molecule does not exist, why? (2)
- 7. (i) Write any two postulates of VSEPR theory. (2)
  - (2) (ii) Hydrogen bonds are of two types, which are they? Write one example for each.
- 8. (i) Hybridisation of Carbon in  $CH_4$  is
  - (A) sp<sup>2</sup>(B) sp (C)  $sp^3$ (D) sp<sup>3</sup>d(1)
  - (ii) Write any two characteristics of hybridisation.
  - (iii)  $O_2$  molecule is paramagnetic, explain using M.O. theory. (2) [September 2021]
- 9. (a) Define Bond angle.
  - (b) NH<sub>3</sub> and NF<sub>3</sub> molecules have a pyramidal shape with a lone pairs of electrons on nitrogen atom. But the dipole moment of NH<sub>3</sub> is 4.9 x  $10^{-30}$  Cm and that of NF<sub>3</sub> is 0.8 x  $10^{-30}$  Cm. Give reason. (2)
- 10. (a) The bond angle in water is lower than the tetrahedral angle. Why? (1)
  - (b) Give 1 example of a molecule in which the central atom is in sp hybridisation. Predict its geometry. (1)
  - (c) Write the MO configuration of N<sub>2</sub> molecule and calculate its bond order. (2) [Dec 2020]
- 11. (a) Give two examples of compounds having expanded octet. (1)(b) Draw the Lewis dot symbols of (i) Cl<sub>2</sub> (2) (ii) NF<sub>3</sub>
- 12. (a) Predict the hybridisation of phosphorous atom in PCl<sub>5</sub> molecule. (1)
  - (b) Account for the high reactivity of PCl<sub>5</sub> molecule.
  - (c) Draw the MO energy level diagram of  $O_2$  molecule.
- (2) [March 2020] 13. The dipole moment of  $BeF_2$  is zero, while that of  $H_2O$  is 1.85 D. Account for this the on basis of their molecular structure. (2)
- 14. (a) A molecule of the type AB<sub>4</sub>E has 4 bond pairs of electrons and 1 lone pair of electron. Predict the most stable structure of this compound. (1)
  - (b) Hydrogen fluoride is a liquid, while hydrogen chloride is a gas. Why? (1)
- 15. Draw the molecular orbital diagram for  $F_2$  molecule. Account for its magnetic character. (3) [July 2019]
- 16. Represent the Lewis structure of Ozone  $(O_3)$  molecule and assign the formal charge on each atom. (2)
- 17. Among NaCl, BeCl<sub>2</sub> and AlCl<sub>3</sub>, which one is more covalent? Justify the answer. (2)

- 18. Write the molecular orbital electronic configuration of N<sub>2</sub> and O<sub>2</sub> molecules. Compare the stability and magnetic behaviour of these molecules on the basis of M. O. theory.
   (3) [March 2019]
- If Z-axis is the internuclear axis, name the type of covalent bond formed by the overlapping of two p<sub>y</sub>orbitals. (1)
- 20. Write any two limitations of octet rule. (2)
- 21. The diatomic species Ne<sub>2</sub>, does not exist, but Ne<sub>2</sub><sup>-</sup> can exist. Explain on the basis of molecular orbital theory. (4) [August 2018]
- 22. Predict the shape of  $XeF_4$  molecule, according to VSEPR theory. (1)
- 23. By using the concept of hybridization, explain the structure of  $H_2O$  molecule. (2)
- 24. Write the molecular orbital electronic configurations of N2 and O2 and calculate their bond orders. Give a comparison of their stability and magnetic behaviour. (4) [March 2018]

(3)

- 25. a) The hybridization of C in ethene is .....
  - i) sp ii) sp<sup>2</sup> iii) sp<sup>3</sup> iv) sp<sup>3</sup>d (1)
  - b) Explain sp<sup>3</sup>d<sup>2</sup> hybridization with an example.
  - c) Calculate the bond order of Lithium molecule. (At. no. of Li is 3) (1) [July 2017]
- 26. The geometry of the molecule is decided by the type of hybridisation.
  - a) Discuss the shape of  $PCl_5$  molecule using hybridisation. (2)
  - b) Give the reason for the high reactivity of  $PCI_5$ . (2)
  - c) Isoelectronic species have the same bond order. Among the following choose the pair having same bond order.
    - $CN^{-}, O_{2}^{-}, NO^{+}, CN^{+}$  (1) [March 2017]
- 27. VSEPR theory is used to predict the shape and bond angle of molecules.
  - a) Write the postulates of VSEPR theory. (2)
  - b) Explain the shape and bond angle of  $NH_3$  molecule using VSEPR theory. (2)
  - c) PCl<sub>5</sub> molecule is unsymmetric. Why? (2) [September 2016]
- 28. a) The electronic configuration of a molecule can give information about bond order.
  - i) Write the molecular orbital configuration of F<sub>2</sub> molecule.
  - ii) Find its bond order. (2)
  - b) Give any two factors influencing the formation of an ionic bond. (2)
  - c) Give the shape of the following species. i)  $NH_4^+$  ii)  $HgCl_2$  (1) [March 2016]
- 29. a) The net dipole moment of a polyatomic molecule depends on the spatial arrangement of various bonds in the molecule. The dipole rnoment of BF<sub>3</sub> is zero while that of NF<sub>3</sub> is not zero. Justify. (2)
  - b) The type of hybridization indicates the geometry of a molecule. In water molecule, the oxygen atom is sp<sup>3</sup> hybridized. But water molecule has no tetrahedral geometry. Explain (2)
- 30. The formation of molecular orbitals can be described by the linear combination of atomic orbitals.
  - a) Which one of the following correctly represents the formation of bonding molecular orbital from the atomic orbitals having wave functions  $\psi_A$  and  $\psi_B$ ?
    - i)  $\psi_A x \psi_B$  ii)  $\psi_A / \psi_B$  iii)  $\psi_A + \psi_B$  iv)  $\psi_A \psi_B$  (1)
  - b) Write the electronic configuration of oxygen molecule on the basis of Molecular Orbital Theory. Justify the presence of double bond in it and account for its paramagnetic character. (2)

[October 2015]

31. Molecular orbital theory was developed by F. Hund and R.S. Mullikken.

Join Telegram Channel: https://t.me/hsslive

- b) i) Write the molecular electronic configuration of the  $N_2$  molecule. (1)
  - ii) Predict the stability and magnetic property of  $N_2$  with reasons. (3)
- 32. In order to explain the geometrical shapes of molecules, the concept of hybridisation was introduced.
  - a) The geometry of SF<sub>6</sub> molecule is ......
    - i) Tetrahedral ii) Planar iii) Octahedral iv) Trigonal bipyramidal (1)
  - b) i) Define the term hybridisation. (1)
    - ii) Explain sp<sup>3</sup> hybridisation taking methane (CH<sub>4</sub>) as an example. (3) [March 2015]
- 33. a) Molecular orbitals are formed by the linear combination of atomic orbitals (LCAO). Give the salient features of molecular orbital theory. (3)
  - b) Explain  $sp^{3}d$  hybridisation with a suitable example. (2)
- 34. a) The shape of the molecules is based on the VSEPR theory. Give the salient features of this theory. (3)b) Draw the potential energy curve for the formation of a hydrogen molecule on the basis of tinter nuclear distance of the hydrogen atoms. (2) [August 2014]
- 35. a) He<sub>2</sub> cannot exist as stable molecule. Justify this statement on the basis of bond order. (1)
  b) State Fajan's rule regarding the partial covalent character of an ionic bond. (1)
  - c) Which has higher boiling point o-nitrophenol or p-nitrophenol? Give reason. (3) [March 2014]
- 36. a) Only valence electrons of atoms take part in chemical combination. Draw the Lewis representation of NF<sub>3</sub>. (1)
  - b) Define dipole moment. The dipole moment of  $BF_3$  is zero. Why?(2)
  - c) Based on bond order compare the relative stability of  $O_2$  and  $O_2^{2^2}$ . (2) [September 2013]
- 37. The Valence Shell Electron Pair Repulsion (VSEPR) theory helps in predicting the shapes of covalent molecules.
  - a) Arrange the bond pair electron and lone pair electron in the decreasing order of the repulsive interactions among them. (1)
  - b) A molecule of the type AB<sub>3</sub>E<sub>2</sub> has three bond pairs and two lone pairs of electrons. Predict the most stable arrangement of electron pairs in this molecule. (1)
  - c) The bond order value is an important property of a molecule. How is bond order related to bond length? (1)
  - d) Write the electronic configuration of an oxygen molecule and justify its magnetic character. (2)

[March 2013]

- 38. a) The ionic bonds have partial covalent character and the covalent bonds also show some ionic character.
  - i) Explain the covalent character of Lithium chloride using Fajan's rule (1)
  - ii)  $NF_3$  and  $NH_3$  show dipole moment. But the dipole moment of  $NF_3$  is less than that of  $NH_3$ . Why? (1)
  - iii) The covalent bond can be explained by Molecular Orbital Theory (MOT). Using MO diagram explain the paramagnetic nature of oxygen molecule. (3) [September 2012]
- 39. Valence Bond Theory (VBT) and Molecular Orbital Theory (MOT) are the two important theories of chemical bonding.
  - a) Out of the following which is the hybridisation of phosphorus in  $PCI_5$ ? (sp<sup>3</sup>, sp<sup>2</sup>, dsp<sup>2</sup>, sp<sup>3</sup>d) (1)
  - b) Explain the geometry of  $PCl_5$  molecule and account for its high reactivity. (2)

Join Telegram Channel: https://t.me/hsslive

- c) Write the molecular orbital configuration of the C<sub>2</sub> molecule and calculate its bond order. (2) [March 2012]
- 40. a) Hydrogen bonding plays an important role in determining the physical properties of substances.
  - i) Illustrate hydrogen bonding using an example. (1½)
  - ii) Compare the boiling points of o-nitro phenol and p-nitro phenol based on hydrogen bonding. (1½)
  - b) Describe the hybridisation and structure of  $PCI_5$  molecule. (2) [September 2011]
- 41. The attractive force which holds atoms together in a molecule is called a chemical bond.
  - a) Explain the formation of a  $H_2$  molecule on the basis of the valence bond theory (VBT). (2½)
  - b) Using the molecular orbital theory (MOT), explain why  $Ne_2$  molecule does not exist? (1<sup>1</sup>/<sub>2</sub>)
  - c) Calculate the bond order of dinitrogen ( $N_2$ ). (1) [March 2011]
- 42. VSEPR theory is used to predict the shape of covalent molecules.
  - a) State the main postulates of VSEPR theory.
  - b) Based on VSEPR theory predicts the shape of  $H_2O$  and  $NH_3$ . (2) [October 2010]
- 43. The stability and magnetic properties of a molecule can be explained using the molecular orbital theory proposed by F. Hund and R.S. Mulliken.

(3)

- a) Define bond order according to the M.O theory.
- b) Draw the energy level diagram for the formation of  $O_2$  molecule.
- c) Calculate the bond order and predict the magnetic character of  $O_2$  molecule. [March 2010]
- 44. a) What do you understand by bond pair electrons and lone pair electrons? (2)

b) Explain the bond pair electrons and lone pair electrons H<sub>2</sub>O and NH<sub>3</sub> molecules with suitable drawings.
 (3) [March 2009]

45. Water is a liquid while  $H_2S$  is a gas.

a) Suggest the reason for the above fact.

b) Explain the phenomenon. (2)



[February 2008]