



TOPIC: 2.2 – SERIES: TYPES AND CONVERGENCE

Series

Infinite Series

If $a_1, a_2, \dots, a_n, \dots$ be an infinite sequence of real numbers, then $a_1 + a_2 + a_3 + \dots + a_n + \dots \infty$ is called an infinite series.

An infinite series is denoted by $\sum a_n$ and the sum of its first 'n' terms is denoted by S_n .

Convergent, Divergent & Oscillatory of a series

Consider the infinite series,
 $\sum a_n = a_1 + a_2 + \dots + a_n + \dots \infty$.

Let the sum of first 'n' terms be
 $S_n = a_1 + a_2 + \dots + a_n$.

The convergence or divergence of the series $\sum a_n$ is defined in terms of the convergence or divergence of the sequence $\{S_n\}$.

$\sum a_n$ is said to converge if the sequence $\{S_n\}$ converges.



② $\sum a_n$ is said to be diverge if the sequence $\{S_n\}$ diverges.

③ $\sum a_n$ is said to oscillatory if the sequence $\{S_n\}$ does not tend to a unique limit as $n \rightarrow \infty$.

①. Examine the convergence of the series
 $1+2+3+\dots+n+\dots\infty$.

Soln Given. $\sum a_n = 1+2+3+\dots+n+\dots\infty$.

$$\text{let } S_n = 1+2+3+\dots+n.$$

$$S_n = \frac{n(n+1)}{2}$$

$$\lim_{n \rightarrow \infty} S_n = \lim_{n \rightarrow \infty} \frac{n(n+1)}{2}$$

$$= \frac{1}{2} \lim_{n \rightarrow \infty} n(n+1)$$

$$\lim_{n \rightarrow \infty} S_n = \infty.$$

\therefore The S_n divergent

$\therefore \sum a_n$ is also divergent.



AN AUTONOMOUS INSTITUTION

Accredited by NBA – AICTE and Accredited by NAAC – UGC with 'A' Grade
Approved by AICTE, New Delhi & Affiliated to Anna University, Chennai

②. $1 + 3 + 5 + 7 + \dots + \infty$.

Soln

∴ $1 + 3 + 5 + 7 + \dots + \infty$ are in A.P

$$t_n = a + (n-1)d.$$

$$a = 1, d = 2,$$

$$t_n = 1 + (n-1)2 \\ = 2n - 1.$$

$$S_n = 1 + 3 + 5 + \dots + (2n-1)$$

$$= \frac{n}{2} [2a + (n-1)d]$$

$$= \frac{n}{2} [2 + (n-1)2]$$

$$= n^2.$$

$$\lim_{n \rightarrow \infty} S_n = \lim_{n \rightarrow \infty} n^2 = \infty.$$

∴ S_n is divergent. So \sum not convergent

③. $\frac{1}{1 \cdot 2} + \frac{1}{2 \cdot 3} + \frac{1}{3 \cdot 4} + \dots$

Soln

The given series $\frac{1}{1 \cdot 2} + \frac{1}{2 \cdot 3} + \frac{1}{3 \cdot 4} + \dots + \frac{1}{n(n+1)}$

$$t_n = \frac{1}{n(n+1)}$$



AN AUTONOMOUS INSTITUTION

Accredited by NBA – AICTE and Accredited by NAAC – UGC with 'A' Grade
Approved by AICTE, New Delhi & Affiliated to Anna University, Chennai

$$S_n = \sum \frac{1}{n(n+1)}$$

$$= \sum \frac{1}{n} - \frac{1}{n+1}$$

Here $u_1 = 1 - \frac{1}{2}$

$$u_2 = \frac{1}{2} - \frac{1}{3}$$

$$u_3 = \frac{1}{3} - \frac{1}{4}$$

.....

$$u_n = \frac{1}{n} - \frac{1}{n+1}$$

.....

$$S_n = u_1 + u_2 + u_3 + \dots + u_n$$

$$= 1 - \frac{1}{n+1}$$

$$\lim_{n \rightarrow \infty} S_n = \lim_{n \rightarrow \infty} \left(1 - \frac{1}{n+1} \right)$$

$$= 1 - 0$$

= finite.

\therefore The series is convergent.