

# UNIT I

# INTRODUCTION



# Operating Systems



# Introduction

- **Introduction**

- What Operating Systems Do
- Computer-System Architecture
- **Operating-System Structure**
- Operating-System Operations
- Operating-System Services
- User Operating System Interface
- System Calls
- Types of System Calls
- **System Programs**
- **System Boot**

- **Process Concept**

- Process Scheduling
- Operations on Processes
- Interprocess Communication



- System programs provide a **convenient environment for program development and execution**. They can be divided into:
  - File manipulation
  - Status information sometimes stored in a File modification
  - Programming language support
  - Program loading and execution
  - Communications
  - Background services
  - Application programs

- **File management** - Create, delete, copy, rename, print, dump, list, and generally manipulate files and directories
- **Status information**
  - Some ask the **system for info** - date, time, amount of available memory, disk space, number of users
  - Others provide detailed performance, logging, and debugging information
- **File modification**
  - Text editors to create and modify files
  - Special commands to search contents of files

- **Programming-language support** - Compilers, assemblers, debuggers and interpreters sometimes provided
- **Program loading and execution**- Absolute loaders, relocatable loaders, linkage editors, and overlay-loaders, debugging systems for higher-level and machine language
- **Communications** - Provide the mechanism for creating virtual connections among processes, users, and computer systems
  - Allow users to send messages, browse web pages, send electronic-mail messages, log in remotely, transfer files from one machine to another

- **Background Services**

- Launch at boot time
- Provide facilities like disk checking, process scheduling, error logging, printing
- Run in user context not kernel context
- Known as **services**, **subsystems**, **daemons**

- **Application programs**


- Don't pertain to system , Run by users
- Not typically considered part of OS
- Launched by command line, mouse click, finger poke



# Operating System Structure

- General-purpose OS is very large program
- **Various ways to structure ones**
  - Simple structure – MS-DOS
  - More complex -- UNIX
  - Layered – an abstraction
  - Microkernel -Mach

- **MS-DOS** – written to provide the most functionality in the least space
  - Not divided into modules
  - Although MS-DOS has some structure, its interfaces and levels of functionality are not well separated






# Non Simple Structure -- UNIX 9

UNIX – limited by hardware functionality, the original UNIX operating system had limited structuring. The UNIX OS consists of **two separable parts**

- **Systems programs**
- **The kernel**
  - Consists of everything **below the system-call interface** and **above the physical hardware**
  - Provides the file system, CPU scheduling, memory management, and other operating-system functions; a large number of functions for one level


# Traditional UNIX System Structure

Beyond simple but not fully layered



# Layered Approach

- The operating system is divided into a **number of layers (levels)**, each built on top of lower layers. The bottom layer (layer 0), is the **hardware**; the highest (layer N) is the **user interface**.
- With modularity, layers are selected such that each **uses functions (operations) and services of only lower-level layers**






# Microkernel System Structure

- **Mach** example of **microkernel**
- Communication takes place between user modules using **message passing**
- **Benefits:**
  - Easier to extend a microkernel
  - Easier to port the operating system to new architectures
  - More reliable (less code is running in kernel mode)
  - More secure
- **Detriments:**
  - Performance overhead of user space to kernel space communication




# Microkernel System Structure



- Many modern operating systems implement **loadable kernel modules**
  - Uses object-oriented approach
  - Each core component is separate
  - Each talks to the others over known interfaces
  - Each is loadable as needed within the kernel
- Overall, similar to layers but with more flexible
  - Linux, Solaris, etc



# Solaris Modular Approach






# Hybrid Systems

- Hybrid combines multiple approaches to address performance, security, usability needs
- Linux and Solaris kernels in kernel address space, so monolithic, plus modular for dynamic loading of functionality
- Windows mostly monolithic, plus microkernel for different subsystem *personalities*
- Apple Mac OS X hybrid, layered, **Aqua** UI plus **Cocoa** programming environment



# Mac OS X Structure



- Apple mobile OS for *iPhone, iPad*
  - Structured on Mac OS X, added functionality
  - Does not run OS X applications natively
    - Also runs on different CPU architecture (ARM vs. Intel)
  - **Cocoa Touch** Objective-C API for developing apps
  - **Media services** layer for graphics, audio, video
  - **Core services** provides cloud computing, databases
  - Core operating system, based on Mac OS X kernel

Cocoa Touch

Media Services

Core Services



Core OS



- Developed by Open Handset Alliance (mostly Google) - Open Source
- Based on **Linux kernel but modified**
  - Provides process, memory, device-driver management
  - Adds power management
- Runtime environment includes core set of libraries and Dalvik virtual machine
  - Apps developed in **Java plus Android API**
    - Java class files compiled to Java bytecode then translated to executable than runs in Dalvik VM
  - Libraries include **frameworks for** web browser (webkit), database (SQLite), multimedia, smaller libc



# Android Architecture







- When power initialized on system, execution starts at a fixed memory location
  - Firmware ROM used to hold initial boot code
- Operating system must be made available to hardware so hardware can start it
  - Small piece of code – **bootstrap loader**, stored in **ROM** or **EEPROM** locates the kernel, loads it into memory, and starts it
- Common bootstrap loader, **GRUB**, allows selection of kernel from multiple disks, versions, kernel options
- Kernel loads and system is then **running**

## TEXT BOOK

1. Abraham Silberschatz, Peter B. Galvin, "Operating System Concepts", 10<sup>th</sup> Edition, John Wiley & Sons, Inc., 2018.
2. Jane W. and S. Liu. "Real-Time Systems". Prentice Hall of India 2018.
3. Andrew S Tanenbaum, Herbert Bos, Modern Operating Pearson , 2015.

## REFERENCES

1. William Stallings, "Operating Systems: Internals and Design Principles", 9<sup>th</sup> Edition, Prentice Hall of India., 2018.
2. D.M.Dhamdhere, "Operating Systems: A Concept based Approach", 3<sup>rd</sup> Edition, Tata McGraw hill 2016.
3. P.C.Bhatt, "An Introduction to Operating Systems–Concepts and Practice", 4<sup>th</sup> Edition, Prentice Hall of India., 2013.

**THANK YOU**