



**SNS COLLEGE OF ENGINEERING**  
Kurumbapalayam (Po), Coimbatore – 641 107

**An Autonomous Institution**

Accredited by NBA – AICTE and Accredited by NAAC – UGC with 'A' Grade  
Approved by AICTE, New Delhi & Affiliated to Anna University, Chennai



**DEPARTMENT OF CSE**



# **19IT103 – COMPUTATIONAL THINKING AND PYTHON PROGRAMMING**

❖ A readable, dynamic, pleasant, flexible, fast and powerful  
language



# UNIT II DATA TYPES, EXPRESSIONS, STATEMENTS


- Python interpreter and interactive mode, debugging; values and types: int, float, boolean, string , and list; **variables**, expressions, statements, tuple assignment, precedence of operators, comments; Illustrative programs: exchange the values of two variables, circulate the values of n variables, distance between two points.





# Recap

- **Values and Types**

- List
  - Dictionary
  - Tuple
  - Set
- 




# Variables

- As the name implies, a **variable** is something which **can change**.
- A variable is a way of **referring to a memory location** used by a computer program.
- This memory location contains **values, like numbers, text or more complicated types**.



# Variables


- A variable can be seen as a **container** (or some say a pigeonhole) to **store certain values**.
- While the program is running, variables are **accessed and sometimes changed**, i.e., a new value will be assigned to a variable.



# Variables

- **Putting values** into the variables can be realized with **assignments**.
- In most cases, the **equal "=" sign** is used.
- The **value on the right side** will be saved in the **variable name on the left side**.
- Eg:  $x=42$


$y=42$



# Variables

- If we **assign a new value** to one of the variables, let's say the value 78 to y:

$y = 78;$





# Variables

- There is **no declaration of variables** required in Python, which makes it quite easy.
- Not only the value of a variable may **change** during program execution, but the **type** as well.
- You can **assign an integer value** to a variable, use it as an integer for a while and then assign a **string to the same variable**.






# Variables

```
Python 3.8.0 Shell
File Edit Shell Debug Options Window Help
Python 3.8.0 (tags/v3.8.0:fa919fd, Oct 14 2019, 19:37:50) [
MSC v.1916 64 bit (AMD64)] on win32
Type "help", "copyright", "credits" or "license()" for more i
nformation.
>>> var=42
>>> type(var)
<class 'int'>
>>> var=42+0.11
>>> type(var)
<class 'float'>
>>> var="Python"
>>> type(var)
<class 'str'>
>>> |
```


# Object References

- Python **variables are references to objects**, but the actual data is contained in the objects:




# Object References

- $x=42$
- $y=x$




# Object References

- $y=78$



# Object References

- x refers to some string values.





## Variables

- How can we see or prove that  $x$  and  $y$  really reference the same object after the assignment  $y = x$  of our previous example?
- Every **instance (object or variable) has an identity**, i.e., an integer which is unique within the script or program, i.e., other **objects have different identities**.
- The **identity function `id()`** can be used for this purpose.



## Variables

```
>>> id(x),id(y)
(140725098093504, 140725098094656)
>>> x=y
>>> id(x),id(y)
(140725098094656, 140725098094656)
>>> |
```



## Valid Variable Names

- The naming of variables follows the more general concept of an identifier.
- A Python **identifier** is a name used to **identify a variable, function, class, module or other object**.
- There are some certain rules to keep in mind that we must follow while naming identifiers.







# Rules for Naming Identifier

1. The Python identifier is made with a **combination of lowercase or uppercase letters, digits or an underscore.**

- These are the valid characters.
  - **Lowercase letters (a to z)**
  - **Uppercase letters (A to Z)**
  - **Digits (0 to 9)**
  - **Underscore ( \_ )**
- **Example:** num1, FLAG, get\_user\_name, userDetails, \_1234





## Rules for Naming Identifier


2. An identifier **cannot start with a digit**. If we create an identifier that starts with a digit then we will get a syntax error.

```
>>> 6python  
SyntaxError: invalid syntax
```

3. We also **cannot use special symbols** in the identifiers name. Symbols like ( **!, @, #, \$, %, .** ) are invalid.



# Rules for Naming Identifier



```
Python 3.8.0 Shell
File Edit Shell Debug Options Window Help
Python 3.8.0 (tags/v3.8.0:fa919fd, Oct 14 2019,
19:37:50) [MSC v.1916 64 bit (AMD64)] on win3
2
Type "help", "copyright", "credits" or "license()"
for more information.
>>> num#=1
Traceback (most recent call last):
  File "<pyshell#0>", line 1, in <module>
    num#=1
NameError: name 'num' is not defined
>>> num$1=1
SyntaxError: invalid syntax
>>> num_!invalid=5
SyntaxError: invalid syntax
>>>
```

## Rules for Naming Identifier

4. A **keyword cannot** be used as an identifier.

In Python, **keywords** are the **reserved names** that are built-in in Python. They have a **special meaning**, and we cannot use them as identifier names.

```
Python 3.8.0 Shell
File Edit Shell Debug Options Window Help
Python 3.8.0 (tags/v3.8.0:fa919fd, Oct 14 2019,
19:37:50) [MSC v.1916 64 bit (AMD64)] on win32
Type "help", "copyright", "credits" or "license()"
for more information.
>>> True=10
SyntaxError: cannot assign to True
>>> for=50
SyntaxError: invalid syntax
>>> if=90
SyntaxError: invalid syntax
>>> global=100
SyntaxError: invalid syntax
>>> def=30
SyntaxError: invalid syntax
>>>
```

# Rules for Naming Identifier

- If you want to see the list of all the keywords, then in your Python shell, type **“help()”** and then type **“keywords”** to get the list of all Python keywords.

```
help> keywords
```

```
Here is a list of the Python keywords. Enter any keyword to get more help.
```

```
False      class      from       or
None       continue  global     pass
True       def        if         raise
and        del        import     return
as         elif       in         try
assert     else       is         while
async      except     lambda    with
await     finally   nonlocal  yield
break     for       not
```



## Rules for Naming Identifier

- The **length** of the identifiers can be **as long as you want**.
- Of course, it can **not be greater** than the **available memory**, however, the **PEP-8 standards rule** suggests not to exceed **79 characters** in a line.



# Best Practices for Python Identifiers

1. **Class names** should start with a **capital letter** and all the **other identifiers** should start with a **lowercase letter**.
2. Begin **private identifiers** with an **underscore** (`_`). Note, this is not needed to make the variable private. It is only for the ease of the programmer to easily **distinguish** between **private variables and public variables**.
3. Use **double underscores** (`__`) around the **names of magic methods** and don't use them anywhere else. Python **built-in magic methods** already use this notation. For example: `__init__`, `__len__`.



## Best Practices for Python Identifiers

4. Always prefer using **names longer than one character**. `index=1` is better than `i=1`
5. To **combine words** in an identifier, you should **use underscore()**. For example: `get_user_details`.
6. Use **camel case** for naming the variables. For example: `fullName`, `getAddress`, `testModeOn`, etc.

