



SNS COLLEGE OF ENGINEERING
Kurumbapalayam (Po), Coimbatore – 641 107



An Autonomous Institution

Accredited by NBA – AICTE and Accredited by NAAC – UGC with 'A' Grade
Approved by AICTE, New Delhi & Affiliated to Anna University, Chennai

DEPARTMENT OF CSE (IoT & CYBER SECURITY INCLUDING BLOCKCHAIN TECHNOLOGY)



19IT103 – COMPUTATIONAL THINKING AND PYTHON PROGRAMMING

- ❖ A readable, dynamic, pleasant, flexible, fast and powerful language

Recap

- Values present in the function calling statement are called arguments
- Variables used in the function header are called parameters
- Required, keyword, default and variable-length are types of arguments
- Variable can be created with local and global scopes
- Global keyword creates a global variable inside a block

Agenda

- Functions composition and Lambda functions
- Recursion

Functions composition

- Function composition is a way of combining functions such that the result of each function is passed as the argument of the next function.
- For example, the composition of two functions f and g is denoted $f(g(x))$.
- x is the argument of g , the result of g is passed as the argument of f and the result of the composition is the result of f .
- Function composition is achieved through lambda functions

Functions composition

- Lambda functions are called anonymous because they are **not declared** in the standard manner by **using the def keyword**.
- You can use the lambda keyword to create small **anonymous functions**.
- Lambda can take any number of arguments but return just one value in the form of an expression. They cannot contain commands or multiple expressions.
- An anonymous function cannot be a direct call to print because lambda requires an **expression**

Functions composition

- For example, `compose2` is a function that takes two functions as arguments (`f` and `g`) and returns a function representing their composition

Example:

```
def compose2(f, g):  
    return lambda x: f(g(x))  
  
def double(x):  
    return x * 2  
  
def inc(x):  
    return x + 1  
  
inc_and_double = compose2(double, inc)  
print("Result: ", inc_and_double(10))
```

Output:

```
...  
Result:  22
```

Composing n Functions

- It would be interesting to generalize the concept to accept n functions

Example:

```
def compose2(f, g):
    return lambda x: f(g(x))

def double(x):
    return x * 2

def inc(x):
    return x + 1

def dec(x):
    return x - 1

inc_double_and_dec = compose2(compose2(dec, double), inc)
print("Result: ", inc_double_and_dec(10))
```

Output:

```
...
Result:  21
```

Composing n Functions using “*functools*”

Example:

```
import functools

def compose(*functions):
    def compose2(f, g):
        return lambda x: f(g(x))
    return functools.reduce(compose2, functions, lambda x: x)

def double(x):
    return x * 2

def inc(x):
    return x + 1

def dec(x):
    return x - 1

inc_and_double = compose(double, inc, dec)
print(inc_and_double(10))
```

Output:

```
|Result: 20
```


Functions composition

Syntax

```
lambda [arg1 [,arg2,.....argn]]:expression
```

Example:

```
# Function definition is here
sum = lambda arg1, arg2: arg1 + arg2;
# Now you can call sum as a function
print("Value of total : ", sum( 10, 20 ))
print("Value of total : ", sum( 20, 20 ))
```

Output:

```
Value of total : 30
Value of total : 40
```

Recursion

- Recursion is the process calling a function by itself
- For example, to find the factorial of an integer can be written as recursive function.
- Factorial of a number is the product of all the integers from 1 to that number.
- For example, the factorial of 6 (denoted as 6!) is $12345 * 6 = 720$.

Recursion

Example:

Python 3.6
([known limitations](#))

```
→ 1 def calc_factorial(x):
2     """This is a recursive function to find the factorial of
3     if x == 1:
4         return 1
5     else:
6     → return (x * calc_factorial(x-1))
7
8 #Main Script
9 num = 4
10 print("The factorial of", num, "is", calc_factorial(num))
```

[Edit this code](#)

→ line that just executed

→ next line to execute

<< First < Prev Next > Last >>

Step 13 of 19

[Customize visualization](#)

Print output (drag lower right corner to resize)

Frames

Objects

Global frame

calc_factorial

num

4

function

calc_factorial(x)

calc_factorial

x

4

calc_factorial

x

3

calc_factorial

x

2

calc_factorial

x

1

Recursion

Output:

Python 3.6
([known limitations](#))

```
1 def calc_factorial(x):
2     """This is a recursive function to find the factorial of .
3     if x == 1:
4         return 1
5     else:
6         return (x * calc_factorial(x-1))
7
8 #Main Script
9 num = 4
10 print("The factorial of", num, "is", calc_factorial(num))
```

[Edit this code](#)

→ line that just executed

→ next line to execute

<< First < Prev Next > Last >>

Step 18 of 19

Print output (drag lower right corner to resize)

Frames

Objects

Global frame

calc_factorial |
num | 4

function
calc_factorial(x)

calc_factorial

x | 4

calc_factorial

x | 3

Return
value | 6

Recursion

- Our recursion ends when the number reduces to 1. This is called the base condition.
- Every recursive function must have a base condition that stops the recursion or else the function calls itself infinitely.

Recursion

Advantages of recursion

- Recursive functions make the code look clean and elegant.
- A complex task can be broken down into simpler sub-problems using recursion.
- Sequence generation is easier with recursion than using some nested iteration.

Recursion

Disadvantages of recursion

- Sometimes the logic behind recursion is hard to follow through.
- Recursive calls are expensive (inefficient) as they take up a lot of memory and time.
- Recursive functions are hard to debug.

Summary

- Function composition is a way of combining functions
- Recursion is the process calling a function by itself
- Function composition is achieved through lambda functions
- Lambda functions are called anonymous because they are not declared in the standard manner by using the def keyword

A yellow speech bubble with a pointed tail at the bottom right, set against a solid blue background. The words "THANK YOU" are cut out of the bubble in a bold, sans-serif font, revealing the blue background underneath. The bubble has rounded corners and a slight shadow, giving it a 3D appearance.

THANK YOU