GOKHARU.

SYNONYM: Puncture vine, Gokshur, land caltropsB.S.: Dried fully rippen fruit of the plant *Tribulas terrestris* Linn.Family: Zygophyllaceae



- **Geographical Source:** distributed in warmer region of the world. India, Shri lanka and west Tibet. Flower in rainy season and collect in October and November.
- It is annual or biennial.

Cultivation & Collection:

- Propagated by seed.
- Fresh seed exhibit seed dormancy & few will germinate immediately after development.
- Seeds are dormant over the autum & winter months & germinate in late spring & early summer when condition are moist.
- High temperature are needed for germination and growth.
- Yellow flower can appear within 3 week.
- Fruit are produce continuously through the summer & autumn months.
- Single plant can produce many as 400 fruits.

• Morphology:

- Color: fruit are greenish to gray
- Odour: odourless
- Size: 1 1.5 cm
- Shape:
- Stem: Annual herb with diffused stem
- **Branches**: flexuous covered with silky thread like hair
- Leaves: paripinnate (6-7pairs of leaflet which ar narrow-elliptic with round base & apex.)
- **Flowers:** yellow flower are borne solitary & auxillary.
- **Fruit:** is weapon-wheel shaped containing 5 parts & it is yellow in color. Each part has 2 long sharp rigid spines, several shorter spines & surface covered with many hairs.

- CHEMICAL CONSTITUENTS:
- It contains steroidal saponin like Dioscin, protodiscin, diosgenin, gitogenin, chlorogenin & rusogenin.
- Roots & leaves are also contain saponin.
- Flavanoids, kaemferol, tribuloside and its derivative also been isolated from leaves & fruits.
- Fixed oil (3.5%), resin, traces of essential oil & nitrates are also found in fruits.
- Use: diuretic (large amount of essential oil & nitrates). Plant & dried spiny fruit is used for spermetorrhoea, phosphateurea, dysuria, gonorrhoea, gleet, chronic cystitis, calculous affection, incontinence of urine & impotency.

• **TYPICAL PREPARATIONS:**

• Dashmoolaristha & chyavanprash.

- **Bara Gokharu:** *pedalium murex* (pedaliaceae). Found near the sea cost of india.
- C & C: The fruit contain fatty oil, mucilage, alkaloid & resin.
- Used: Diuretic, in dysuria & gonorrhoea.