



SNS COLLEGE OF TECHNOLOGY

Coimbatore-35

An Autonomous Institution

Accredited by NBA – AICTE and Accredited by NAAC – UGC with 'A+' Grade
Approved by AICTE, New Delhi & Affiliated to Anna University, Chennai



DEPARTMENT OF AI&ML

FOUNDATIONS OF ARTIFICIAL INTELLIGENCE

II YEAR - III SEM

UNIT I – PROBLEM SOLVING



Agents in Artificial Intelligence



An AI system can be defined as the study of the rational agent and its environment.

-able to use logical thought rather than emotions to make decisions

The agents sense the environment through sensors and act on their environment through actuators (a device that causes a machine or other device to operate).

An AI agent can have mental properties such as knowledge, belief, intention, etc.



What is an Agent?



An agent can be anything that perceive or notice its environment through sensors and act upon that environment through actuators

An Agent runs in the cycle of **perceiving, thinking, and acting.**

An agent can be:

Human-Agent: A human agent has eyes, ears, and other organs which work for sensors and hand, legs, vocal tract work for actuators.

Robotic Agent: A robotic agent can have cameras, infrared range finder, NLP for sensors and various motors for actuators.

Software Agent: Software agent can have keystrokes, file contents as sensory input and act on those inputs and display output on the screen.



Sensor: Sensor is a device which detects the change in the environment and sends the information to other electronic devices. An agent observes its environment through sensors.

Actuators: Actuators are the component of machines that converts energy into motion. The actuators are only responsible for moving and controlling a system. An actuator can be an electric motor, gears, rails, etc.

Effectors: Effectors are the devices which affect the environment. Effectors can be legs, wheels, arms, fingers, wings, fins, and display screen



Intelligent Agents:

An intelligent agent is an autonomous entity which act upon an environment using sensors and actuators for achieving goals.

An intelligent agent may learn from the environment to achieve their goals

Following are the main four rules for an AI agent:

Rule 1: An AI agent must have the ability to perceive the environment.

Rule 2: The observation must be used to make decisions.

Rule 3: Decision should result in an action.

Rule 4: The action taken by an AI agent must be a rational action.



Rational Agent:

A rational agent is an agent which has clear preference, models uncertainty, and acts in a way to maximize its performance measure with all possible actions.

A rational agent is said to perform the right things. AI is about creating rational agents to use for game theory and decision theory for various real-world scenarios.



Structure of an AI Agent

The task of AI is to design an agent program which implements the agent function. The structure of an intelligent agent is a combination of architecture and agent program. It can be viewed as:

Agent = Architecture + Agent program

Architecture: Architecture is machinery that an AI agent executes on.

Agent Function: Agent function is used to map a percept to an action.

Agent program: Agent program is an implementation of agent function. An agent program executes on the physical architecture to produce function f .



PEAS Representation



PEAS is a type of model on which an AI agent works upon. When we define an AI agent or rational agent, then we can group its properties under PEAS representation model. It is made up of four words:

P: Performance measure

E: Environment

A: Actuators

S: Sensors



Let's suppose a self-driving car then PEAS representation will be:

Performance: Safety, time, legal drive, comfort

Environment: Roads, other vehicles, road signs, pedestrian

Actuators: Steering, accelerator, brake, signal, horn

Sensors: Camera, GPS, speedometer, odometer, accelerometer, sonar.



Example of Agents with their PEAS representation



Agent	Performance measure	Environment	Actuators	Sensors
1. Medical Diagnose	<ul style="list-style-type: none">○ Healthy patient○ Minimized cost	<ul style="list-style-type: none">○ Patient○ Hospital○ Staff	<ul style="list-style-type: none">○ Tests○ Treatments	Keyboard (Entry of symptoms)
2. Vacuum Cleaner	<ul style="list-style-type: none">○ Cleanness○ Efficiency○ Battery life○ Security	<ul style="list-style-type: none">○ Room○ Table○ Wood floor○ Carpet○ Various obstacles	<ul style="list-style-type: none">○ Wheels○ Brushes○ Vacuum Extractor	<ul style="list-style-type: none">○ Camera○ Dirt detection sensor○ Cliff sensor○ Bump Sensor○ Infrared Wall Sensor



3. Part - picking Robot

- Percentage of parts in correct bins.

- Conveyor belt with parts,
- Bins

- Jointed Arms
- Hand

- Camera
- Joint angle sensors.



Types of AI Agents



Agents can be grouped into five classes based on their degree of perceived intelligence and capability. All these agents can improve their performance and generate better action over the time. These are given below

Simple Reflex Agent

Model-based reflex agent

Goal-based agents

Utility-based agent

Learning agent