

**An Autonomous Institution**

Accredited by NBA – AICTE and Accredited by NAAC – UGC with ‘A+’ Grade  
Approved by AICTE, New Delhi & Affiliated to Anna University, Chennai

**DEPARTMENT OF INFORMATION TECHNOLOGY**

**PROGRAMMING FOR PROBLEM SOLVING**

**I YEAR - I SEM**

**UNIT 2 – C Programming Basics**

**3 –Keywords, Identifiers, Constants & Delimiters**

Programming language is designed to help process certain kinds of characters and strings and to provide useful output known as information. The process of processing of data is accomplished by executing a sequence of instructions called a program.

Instructions are formed using certain symbols and words according to the syntax rules (or grammar).

Each program instruction must conform precisely to the syntax rules of the language. Like any other language, C has its own vocabulary and grammar.

The characters in C are grouped into the following categories:

Letters


Digits

Special characters

White spaces

Letters	Digits
Uppercase A.....Z	All decimal digits 0 .....9
Lowercase a.....z	
<b>Special Characters</b>	
, comma	& ampersand
. period	^ caret
; semicolon	* asterisk
: colon	- minus sign
? question mark	+ plus sign
' apostrophe	< opening angle bracket
" quotation mark	(or less than sign)
! exclamation mark	> closing angle bracket
vertical bar	(or greater than sign)
/ slash	( left parenthesis
\ backslash	) right parenthesis
~ tilde	[ left bracket
_ under score	] right bracket
\$ dollar sign	{ left brace
% percent sign	} right brace
	# number sign
<b>White Spaces</b>	
Blank space	
Horizontal tab	
Carriage return	
New line	
Form feed	

Each character or group of characters in a program is called a token. In a C program the smallest individual units are known as C tokens. There are five types of tokens as shown in Fig. Programs are written using these tokens and the syntax of the language.



*C tokens and examples*

C word is classified as either a “keyword” or an “identifier”.  
Keywords have fixed meanings and these meanings cannot be changed.  
Keywords must be written in lowercase.

*ANSI C Keyword*

	<b>double</b>	<b>int</b>
	else	long
	enum	register
	extern	return
	float	short
te	for	signed
	goto	sizeof
	if	static

ers refer to the names of variables, functions and arrays.

are user-defined names.

uppercase and lowercase letters are permitted.

underscore character is also permitted in identifiers.

Rules for Identifiers:

1. The first character must be an alphabet (or underscore).

2. It must consist of only letters, digits or underscore.

3. Only the first 31 characters are significant.

4. It must not use a keyword.

5. It must not contain white space & special symbols.

Valid Identifiers:


NAME, SUB, TOT\_MARKS, \_TEMP, Y2K

Invalid Identifiers:

1n, \$stay, 1Record, STD NAME.

in C refer to fixed values that do not change during the ex

several types of constants



constant refers to a sequence of digits.

Three types of integers, namely:

Integer

Integer and

Decimal Integer.

Integers:

of a set of digits, 0 through 9, preceded by an optional – or + sign.

Examples of decimal integer constants are: 123 – 321 0 654321 +78

spaces, commas, and non-digit characters are not permitted between

example, 15 750 20,000 \$1000 are illegal numbers.



ger:

f any combination of digits from the set 0 through 7, with a leading  
mples of octal integer are: 037 0 0435 0551

mal Integer:

e of digits preceded by 0x or 0X is considered as hexadecimal inte

also include alphabets A through F or a through f.

A through F represent the numbers 10 through 15.

are the examples of valid hex integers: 0X2 0x9F 0Xbcd 0x

se octal and hexadecimal numbers in programming.

Numbers are inadequate to represent quantities that vary continuously, heights, temperatures, prices, and so on.

Quantities are represented by numbers containing fractional parts like 1.7

Numbers are called real (or floating point) constants.

Examples of real constants are: 0.0083 -0.75 435.36 +247.0

Numbers are shown in decimal notation, having a whole number followed by a fractional part.

It is not allowed to omit digits before the decimal point, or digits after the decimal point.

0.95 -0.71 +0.5 are all valid real numbers.

er may also be expressed in exponential (or scientific) notation. e, the value 215.65 may be written as 2.1565e2 in exponential notation. To multiply by 102.

form is: **mantissa e exponent**

a is either a real number expressed in decimal notation or an integer. The exponent is an integer number with an optional plus or minus sign.

separating the mantissa and the exponent can be written in either 1

ponent causes the decimal point to “float”, this notation is said to be floating point form.

legal floating-point constants are: 0.65e4 12e-2 1.5e+5 3.18E8. White space is not allowed.

notation is useful for representing numbers that are either very large or very small.

e, 7500000000 may be written as 7.5E9 or 75E8.

Character constant (or simply character constant) contains a single character enclosed between single quote marks.

Examples of character constants are: '5' 'X' ';' ' '

The character constant '5' is not the same as the number 5.

The character constant ' ' is a blank space.

Character constants have integer values known as ASCII values mapped to each character.

For example, the statement `printf("%d", 'a');` would print the number 97, the ASCII value of 'a'.

The statement `printf("%c", '97');` would output the letter 'a'.

The ASCII values for all characters are given below.

Since a character constant represents an integer value, it is also possible to perform arithmetic operations on character constants.

# ASCII Table

Dec	Hex	Oct	Char	Dec	Hex	Oct	Char	Dec	Hex	Oct	Char	Dec	Hex	Oct	Char
0	0	0		32	20	40	[space]	64	40	100	@	96	60	140	`
1	1	1		33	21	41	!	65	41	101	A	97	61	141	a
2	2	2		34	22	42	"	66	42	102	B	98	62	142	b
3	3	3		35	23	43	#	67	43	103	C	99	63	143	c
4	4	4		36	24	44	\$	68	44	104	D	100	64	144	d
5	5	5		37	25	45	%	69	45	105	E	101	65	145	e
6	6	6		38	26	46	&	70	46	106	F	102	66	146	f
7	7	7		39	27	47	'	71	47	107	G	103	67	147	g
8	8	10		40	28	50	(	72	48	110	H	104	68	150	h
9	9	11		41	29	51	)	73	49	111	I	105	69	151	i
10	A	12		42	2A	52	*	74	4A	112	J	106	6A	152	j
11	B	13		43	2B	53	+	75	4B	113	K	107	6B	153	k
12	C	14		44	2C	54	,	76	4C	114	L	108	6C	154	l
13	D	15		45	2D	55	-	77	4D	115	M	109	6D	155	m
14	E	16		46	2E	56	.	78	4E	116	N	110	6E	156	n
15	F	17		47	2F	57	/	79	4F	117	O	111	6F	157	o
16	10	20		48	30	60	0	80	50	120	P	112	70	160	p
17	11	21		49	31	61	1	81	51	121	Q	113	71	161	q
18	12	22		50	32	62	2	82	52	122	R	114	72	162	r
19	13	23		51	33	63	3	83	53	123	S	115	73	163	s
20	14	24		52	34	64	4	84	54	124	T	116	74	164	t
21	15	25		53	35	65	5	85	55	125	U	117	75	165	u
22	16	26		54	36	66	6	86	56	126	V	118	76	166	v
23	17	27		55	37	67	7	87	57	127	W	119	77	167	w
24	18	30		56	38	70	8	88	58	130	X	120	78	170	x
25	19	31		57	39	71	9	89	59	131	Y	121	79	171	y
26	1A	32		58	3A	72	:	90	5A	132	Z	122	7A	172	z
27	1B	33		59	3B	73	;	91	5B	133	[	123	7B	173	{
28	1C	34		60	3C	74	<	92	5C	134	\	124	7C	174	
29	1D	35		61	3D	75	=	93	5D	135	]	125	7D	175	}
30	1E	36		62	3E	76	>	94	5E	136	^	126	7E	176	~
31	1F	37		63	3F	77	?	95	5F	137	_	127	7F	177	

constant is a sequence of characters enclosed in double quotes.

Characters may be letters, numbers, special characters and blank space.

Examples: "Hello!" "1987" "WELL DONE" "?...!" "5+3" "X"

Note that a character constant (e.g., 'X') is not equivalent to the single character string constant (e.g., "X").

A single character string constant does not have an equivalent integer value. An integer constant has an integer value.

String constants are often used in programs to build meaningful programs.

Some special backslash character constants that are used in output are, the symbol ‘\n’ stands for newline character.

Each backslash character constant is given in Table.

Each one of them represents one character, although they consist of two characters combinations are known as escape sequences.

Constant	Meaning
‘\a’	audible alert (bell)
‘\b’	back space
‘\f’	form feed
‘\n’	new line
‘\r’	carriage return
‘\t’	horizontal tab
‘\v’	vertical tab
‘\’	single quote
‘\”	double quote
‘\?’	question mark
‘\’	backslash
‘\0’	null

These symbols which have some syntactic meaning and have got significant meaning do not specify any operations.

The delimiters list is shown below.

	NAME	MEANING
	Hash	Pre processor directive
	Comma	Variable delimiter used to separate
	Colon	Label delimiters
	Semi colon	Statement delimiters
	Parenthesis	Used in expressions or in function
	Curly braces	Used for blocking c structure
	Square braces	Used along with arrays