

# SNS COLLEGE OF TECHNOLOGY

INSTITUTIONS

**Coimbatore-35 An Autonomous Institution** 

Accredited by NBA – AICTE and Accredited by NAAC – UGC with 'A+' Grade Approved by AICTE, New Delhi & Affiliated to Anna University, Chennai

# DEPARTMENT OF INFORMATION TECHNOLOGY

#### PROGRAMMING FOR PROBLEM SOLVING

I YEAR - I SEM

UNIT 3 – ARRAYS AND STRINGS

TOPIC 6 – Searching and Sorting

# **BUBBLE SORT**

Bubble sort in C to arrange numbers in ascending order; you can modify it for descending order and can also sort strings. The bubble sort algorithm isn't efficient as its both average-case as well as worst-case complexity are O(n2).

#### **Bubble sort algorithm**

- Start at index zero, compare the element with the next one (a[0] & a[1] (a is the name of the array)), and swap if a[0] > a[1]. Now compare a[1] & a[2] and swap if a[1] > a[2]. Repeat this process until the end of the array. After doing this, the largest element is present at the end. This whole thing is known as a pass. In the first pass, we process array elements from [0,n-1].
- Repeat step one but process array elements [0, n-2] because the last one, i.e., a[n-1], is present at its correct position. After this step, the largest two elements are present at the end.
- > Repeat this process n-1 times.

# **SELECTION SORT**


Selection sort in C to sort numbers of an array in ascending order. With a little modification, it arranges numbers in descending order.

- > Selection sort algorithm (for ascending order)
- Find the minimum element in the array and swap it with the element in the 1st position.
- Find the minimum element again in the remaining array[2, n] and swap it with the element at 2nd position, now we have two elements at their correct positions.
- $\triangleright$  We have to do this n-1 times to sort the array.









**Green = Sorted Blue = Current minimum** 

Find minimum elements in unsorted array and swap if required (element not at correct location already).

## **INSERTION SORT**

Insertion sort is a simple sorting algorithm that works similar to the way you sort playing cards in your hands. The array is virtually split into a sorted and an unsorted part. Values from the unsorted part are picked and placed at the correct position in the sorted part.

# > Algorithm

- To sort an array of size n in ascending order:
- ➤ 1: Iterate from arr[1] to arr[n] over the array.
- > 2: Compare the current element (key) to its predecessor.
- ➤ 3: If the key element is smaller than its predecessor, compare it to the elements before. Move the greater elements one position up to make space for the swapped element.







4	3	2	10	12	1	5	6
4							
3	4	2	10	12	1	5	6
2	3	4	10	12	1	5	6
2	3	4	10	12	1	5	6
2	3	4	10	12	1	5	6
	2						
1	2	3	4	5	10	12	6
1	2	3	4	5	6	10	12