

SNS COLLEGE OF TECHNOLOGY

Vazhiamyampalayam, Coimbatore-35

(An Autonomous institution)

Accredited by NBA-AICTE and Re-Accredited by NAAC-UGC with A+ Grade Approved by AICTE, New Delhi & Affiliated to Anna University, Chennai

DEPARTMENT OF CHEMISTRY

COURSE NAME : 19CHB101- CHEMISTRY FOR ENGINEERS

I YEAR / I SEMESTER

UNIT: 3. FUELS AND COMBUSTION

TOPIC : 6. GASEOUS FUEL, CNG, LPG & BIO GAS







BRAINSTORMING WITH RECAP

GASEOUS FUEL,CNG,LPG,BIOGAS/19CHB101-CHEMISTRY FOR ENGINEERS /Dr.K.Kanagamani/CHEM / SNSCT




2/13



GASEOUS FUELS

- Do not leave any residue after burning.
- Burn without any smoke.
- Higher calorific values than the solid fuels.
- Relatively low ignition temperature and hence they burn more easily than solid fuels.
- Free from solid and liquid impurities.
- Often less expensive than solid and liquid fuels.
- Conveyed easily through pipeline to the actual place of need that is the main reason for eliminating the manual labour cost in transportation.
- Examples: Biogas, CNG and LPG.








COMPRESSED NATURAL GAS (CNG)

- Natural gas is obtained from well dug in the oil-bearing regions.
- Before use, the natural gas is purified by removing water, dust, grit, H₂S, CO₂, N₂ and heavier liquefiable hydrocarbons (Propane, butane, butene, etc.)
- Compressing the natural gas under pressure of 1000 atm in a steel container is called as compressed natural gas (CNG).
- 15 kg of CNG contains 2×104 litre of natural gas.
- It mainly consist of methane. The composition of CNG is given below:
- Methane 88.5 %,
- Ethane 5.5 %, Propane 3.7 %,
- Butane -1.8 % and Pentane -0.5 %.










COMPRESSED NATURAL GAS (CNG)

Properties

- The cheapest, cleanest and least environmentally impacting alternative fuel. \bullet
- Vehicles powered by CNG produce less CO and hydrocarbon (HC) emission. ۲
- Less expensive than petrol and diesel. ۲
- The ignition temperature of CNG is about 550°C. •
- CNG requires more air for ignition. ۲

Uses

It is used as a substitute for petrol and diesel in automobiles













- LPG is obtained during the fractional distillation of crude oil or heavy oil as by product.
- LPG consists of light hydrocarbon like propane, butane and isobutane.
- This can be readily liquefied under pressure.
- It can be stored and transported easily in cylinders.

The average composition of LPG is given below:

- Propane 24.7 %
- Butane 38.5 %
- Isobutane 36.7
- Others 0.1 %
- Its calorific value is 27800 kcal. $/ m^3$.







Properties


- LPG is easily controllable so it helps consumers to cook with desired heat or flame intensity.
- It is readily liquefied under moderate pressure.
- As a liquid, it looks a lot like water.
- It is colourless and odourless in its natural state.
- LPG at atmospheric temperature and pressure is a gas which is 1.5 to 2.0 times heavier than air.

Uses

- It is used as domestic and industrial fuel.
- It is also used as motor fuel.
- LPG is also used as a fuel in internal combustion engine.











206 B in a B?



Ans: 206 Bones in the human body





Rhythm of eyes' city name in India? A. Chennai B. Nainital C. Srinagar D. Karnataka

Rhythm of eyes'-**Nainital** in India. No Zip – Chennai Mr. City - Srinagar Do Acting - Karnataka.




BIO GAS


- Biogas is a type of biofuel that is naturally produced from the decomposition of organic waste in the absence of oxygen.
- When organic matter, such as food scraps and animal waste, break ۲ down in an anaerobic environment (an environment absent of oxygen) they release a blend of gases called biogas.
- It is a <u>renewable energy</u> source ۲
- It mainly consists of a varying proportion of CH_4 (methane) and • CO₂ (carbon dioxide) and traces of H₂S, N, CO, O, etc

Composition


- Methane 60-70%
- Carbon dioxide -30-40%
- Traces of H2S,NH4 & Water vapour.











BIO GAS

Advantages

- High calorific value
- Clean fuel
- No residue produced
- No smoke produced
- Non polluting
- Economical
- Can be supplied through pipeline
- Burns readily-has a convenient

ignition temperature.


Properties

- It is about 20% lighter than air(Density is about 1.2mgs/Liter)
- Ignition Temperature is about 650-750°C
- calorific value is 5000 kcal./m³

Disadvantages

- Expensive
- Steel drum may rust
- Requires regular maintenance







ASSESSMENT

1. Mention the various components present in the CNG,LPG & Biogas 2. List out the advantages of LPG over CNG & Biogas.







SUMMARY

12/27/2020

GASEOUS FUEL,CNG,LPG,BIOGAS/19CHB101-CHEMISTRY FOR ENGINEERS /Dr.K.Kanagamani/CHEM / SNSCT





REFERENCES

- O.G. Palanna, "Engineering Chemistry "Tata McGraw-Hill Pub. Co. Ltd, New Delhi.2017. 1.
- Wiley, "Engineering Chemistry", John Wiley & Sons. InC, USA. 2.
- P.C.Jain & Monicka Jain, "Engineering Chemistry", Dhanapat Rai Publising Company Pvt. Ltd. 2017. 3.
- R. Sivakumar and N Sivakumar, "Engineering Chemistry" Tata McGraw-Hill.Pub.Co.Ltd. New Delhi.2009. 4.



