



SNS COLLEGE OF TECHNOLOGY



Coimbatore-35.

An Autonomous Institution

**Accredited by NBA – AICTE and Accredited by NAAC – UGC with ‘A+’ Grade
Approved by AICTE, New Delhi & Affiliated to Anna University, Chennai**

COURSE NAME : 19CSB201 – OPERATING SYSTEMS

II YEAR/ IV SEMESTER

UNIT – II Process Scheduling And Synchronization

Topic: Process Synchronization: Semaphores

Mrs. M. Lavanya

Assistant Professor

Department of Computer Science and Engineering



Semaphores

A semaphore is a variable or abstract **data type used to control access to a common resource** by multiple threads and avoid critical section problems in a concurrent system such as a multitasking operating system. Semaphores are a type of synchronization primitive.

A semaphore S is an integer variable that, apart from initialization, is accessed only through two standard atomic operations: **wait()** and **signal()** .



definition of wait () is as follows:

```
wait(S) {  
    while (S <= 0)  
        ; // busy wait  
    S--;  
}
```

The definition of signal () is as follows:

```
signal(S) {  
    S++;  
}
```



Semaphore Usage

Operating systems often distinguish between **counting and binary semaphores**.

The value of a counting semaphore can range over an unrestricted domain.

The value of a binary semaphore can range only between 0 and 1. Thus, binary semaphores behave similarly to mutex locks.



Counting semaphores

Counting semaphores can be used to control access to a given resource consisting of a finite number of instances. The semaphore is initialized to the number of resources available. Each process that wishes to use a resource performs a `wait()` operation on the semaphore (thereby decrementing the count). When a process releases a resource, it performs a `signal()` operation (incrementing the count). When the count for the semaphore goes to 0, all resources are being used. After that, processes that wish to use a resource will block until the count becomes greater than 0.



In process P_1 , we insert the statements

```
S1;  
signal(synch);
```

In process P_2 , we insert the statements

```
wait(synch);  
S2;
```

Because `synch` is initialized to 0, P_2 will execute S_2 only after P_1 has invoked `signal(synch)` , which is after statement S_1 has been executed.



Semaphore Implementation

To implement semaphores under this definition, we define a semaphore as follows:

```
typedef struct {  
    int value;  
    struct process *list;  
} semaphore;
```



Now, the wait() semaphore operation can be defined as

```
wait(semaphore *S) {  
    S->value--;  
    if (S->value < 0) {  
        add this process to S->list;  
        block();  
    }  
}
```




and the signal () semaphore operation can be defined as

```
signal(semaphore *S) {  
    S->value++;  
    if (S->value <= 0) {  
        remove a process P from S->list;  
        wakeup(P);  
    }  
}
```



The **block()** operation suspends the process that invokes it.

The **wakeup(P)** operation resumes the execution of a blocked process P.

These two operations are provided by the operating system as basic system calls.



Deadlocks and Starvation

- The implementation of a semaphore with a waiting queue may result in a **situation where two or more processes are waiting indefinitely** for an event that can be caused only by one of the waiting processes. The event in question is the execution of a signal() operation. When such a state is reached, these processes are said to be **deadlocked**.



To illustrate this, consider a system consisting of two processes, P_0 and P_1 , each accessing two semaphores, S and Q, set to the value 1:

P_0	P_1
<code>wait(S);</code>	<code>wait(Q);</code>
<code>wait(Q);</code>	<code>wait(S);</code>
<code>.</code>	<code>.</code>
<code>.</code>	<code>.</code>
<code>.</code>	<code>.</code>
<code>signal(S);</code>	<code>signal(Q);</code>
<code>signal(Q);</code>	<code>signal(S);</code>

Suppose that P_0 executes `wait(S)` and then P_1 executes `wait(Q)`. When P_0 executes `wait(Q)`, it must wait until P_1 executes `signal(Q)`. Similarly, when P_1 executes `wait(S)`, it must wait until P_0 executes `signal(S)`. Since these `signal()` operations cannot be executed, P_0 and P_1 are deadlocked.



starvation

- Another problem related to deadlocks is indefinite blocking or **starvation**, a situation in which processes **wait indefinitely** within the semaphore. Indefinite blocking may occur if we remove processes from the list associated with a semaphore in LIFO (last-in, first-out) order



Priority Inversion

- A scheduling challenge arises when a **higher-priority process needs** to read or modify kernel **data that are currently being accessed by a lower-priority process**—or a chain of lower-priority processes. Since kernel data are typically protected **with a lock**, the higher-priority process will have to wait for a lower-priority one to finish with the resource. The situation becomes more complicated if the lower-priority process is preempted in favor of another process with a higher priority.



As an example, assume we have three processes— L, M, and H — whose priorities follow the order $L < M < H$. Assume that process H requires resource R, which is currently being accessed by process L. Ordinarily, process H would wait for L to finish using resource R. However, now suppose that process M becomes runnable, thereby preempting process L. Indirectly, a process with a lower priority— process M—has affected how long process H must wait for L to relinquish resource R.

This problem is known as **priority inversion**. It occurs only in systems with more than two priorities, so one solution is to have only two priorities.



Typically these systems solve the problem by implementing a **priority-inheritance protocol**. According to this protocol, all processes that are accessing resources needed by a higher-priority process inherit the higher priority until they are finished with the resources in question. When they are finished, their priorities revert to their original values. In the example above, a priority-inheritance protocol would allow process L to temporarily inherit the priority of process H, thereby preventing process M from preempting its execution. When process L had finished using resource R, it would relinquish its inherited priority from H and assume its original priority. Because resource R would now be available, process H —not M—would run next.



REFERENCES

TEXT BOOKS:

- T1 Silberschatz, Galvin, and Gagne, “Operating System Concepts”, Ninth Edition, Wiley India Pvt Ltd, 2009.)
- T2. Andrew S. Tanenbaum, “Modern Operating Systems”, Fourth Edition, Pearson Education, 2010

REFERENCES:

- R1 Gary Nutt, “Operating Systems”, Third Edition, Pearson Education, 2004.
- R2 Harvey M. Deitel, “Operating Systems”, Third Edition, Pearson Education, 2004.
- R3 Abraham Silberschatz, Peter Baer Galvin and Greg Gagne, “Operating System Concepts”, 9th Edition, John Wiley and Sons Inc., 2012.
- R4. William Stallings, “Operating Systems – Internals and Design Principles”, 7th Edition, Prentice Hall, 2011

