



SNS COLLEGE OF TECHNOLOGY, COIMBATORE –35
(An Autonomous Institution)
19CSB303 and Composing Mobile Apps
UNIT 4



Playback and record

Android provides many ways to control playback of audio/video files and streams. One of this way is through a class called MediaPlayer.

Android is providing MediaPlayer class to access built-in mediaplayer services like playing audio,video e.t.c. In order to use MediaPlayer, we have to call a static Method create() of this class. This method returns an instance of MediaPlayer class. Its syntax is as follows

```
MediaPlayer mediaPlayer = MediaPlayer.create(this, R.raw.song);
```

The second parameter is the name of the song that you want to play. You have to make a new folder under your project with name **raw** and place the music file into it.

Once you have created the MediaPlayer object you can call some methods to start or stop the music. These methods are listed below.

```
mediaPlayer.start();
```

```
mediaPlayer.pause();
```

On call to **start()** method, the music will start playing from the beginning. If this method is called again after the **pause()** method, the music would start playing from where it is left and not from the beginning.

In order to start music from the beginning, you have to call **reset()** method. Its syntax is given below.

```
mediaPlayer.reset();
```

Apart from the start and pause method, there are other methods provided by this class for better dealing with audio/video files. These methods are listed below –

- isPlaying()**
1 This method just returns true/false indicating the song is playing or not
- seekTo(position)**
2 This method takes an integer, and move song to that particular second
- getCurrentDuration()**
3 This method returns the current position of song in milliseconds
- getDuration()**
4 This method returns the total time duration of song in milliseconds
- reset()**
5 This method resets the media player
- release()**
6 This method releases any resource attached with MediaPlayer object
- setVolume(float leftVolume, float rightVolume)**
7 This method sets the up down volume for this player
- setDataSource(FileDescriptor fd)**
8 This method sets the data source of audio/video file
- selectTrack(int index)**
9 This method takes an integer, and select the track from the list on that particular index
- getTrackInfo()**
10 This method returns an array of track information

MediaRecorder

1. [Requesting permission to record audio](#)
2. [Creating and running a MediaRecorder](#)
3. [Using MediaMuxer to record multiple channels](#)
4. [Adding metadata](#)
5. [Sample code](#)

The Android multimedia framework includes support for capturing and encoding a variety of common audio and video formats. You can use the [MediaRecorder](#) APIs if supported by the device hardware.

This document shows you how to use MediaRecorder to write an application that captures audio from a device microphone, save the audio, and play it back

Requesting permission to record audio

To be able to record, app must tell the user that it will access the device's audio input. `<uses-permission android:name="android.permission.RECORD_AUDIO" />`

Creating and running a MediaRecorder

Initialize a new instance of [MediaRecorder](#) with the following calls:

Set the audio source using [setAudioSource\(\)](#).

Note: Most of the audio sources (including DEFAULT) apply processing to the audio signal. To record raw audio select [UNPROCESSED](#). Some devices do not support unprocessed input. Call [AudioManager.getProperty\("PROPERTY_SUPPORT_AUDIO_SOURCE_UNPROCESSED"\)](#) first to verify it's available. If it is not, try using

[VOICE RECOGNITION](#) instead, which does not employ AGC or noise suppression.

```
package com.example.sairamkrishna.myapplication;
```

```
import android.app.Activity;
import android.media.MediaPlayer;
import android.os.Bundle;
import android.os.Handler;
import android.view.View;
```

```
import android.widget.Button;
import android.widget.ImageView;
import android.widget.SeekBar;
import android.widget.TextView;
import android.widget.Toast;
import java.util.concurrent.TimeUnit;
```

```
public class MainActivity extends Activity {
    private Button b1,b2,b3,b4;
    private ImageView iv;
    private MediaPlayer mediaPlayer;

    private double startTime = 0;
    private double finalTime = 0;

    private Handler myHandler = new Handler();
    private int forwardTime = 5000;
    private int backwardTime = 5000;
    private SeekBar seekbar;
    private TextView tx1,tx2,tx3;

    public static int oneTimeOnly = 0;
    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);

        b1 = (Button) findViewById(R.id.button);
        b2 = (Button) findViewById(R.id.button2);
```

```

b3 = (Button)findViewById(R.id.button3);
b4 = (Button)findViewById(R.id.button4);
iv = (ImageView)findViewById(R.id.imageView);

tx1 = (TextView)findViewById(R.id.textView2);
tx2 = (TextView)findViewById(R.id.textView3);
tx3 = (TextView)findViewById(R.id.textView4);
tx3.setText("Song.mp3");

mediaPlayer = MediaPlayer.create(this, R.raw.song);
seekbar = (SeekBar)findViewById(R.id.seekBar);
seekbar.setClickable(false);
b2.setEnabled(false);

b3.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {
        Toast.makeText(getApplicationContext(), "Playing
            sound", Toast.LENGTH_SHORT).show();
        mediaPlayer.start();

        finalTime = mediaPlayer.getDuration();
        startTime = mediaPlayer.getCurrentPosition();

        if (oneTimeOnly == 0) {
            seekbar.setMax((int) finalTime);
            oneTimeOnly = 1;
        }

        tx2.setText(String.format("%d min, %d sec",
            TimeUnit.MILLISECONDS.toMinutes((long) finalTime),
            TimeUnit.MILLISECONDS.toSeconds((long) finalTime) -
                TimeUnit.MINUTES.toSeconds(TimeUnit.MILLISECONDS.toMinutes((long)
                    finalTime)))
            );

        tx1.setText(String.format("%d min, %d sec",
            TimeUnit.MILLISECONDS.toMinutes((long) startTime),
            TimeUnit.MILLISECONDS.toSeconds((long) startTime) -

```

```

TimeUnit.MINUTES.toSeconds(TimeUnit.MILLISECONDS.toMinutes((long)
    startTime)))
    );

    seekbar.setProgress((int)startTime);
    myHandler.postDelayed(UpdateSongTime,100);
    b2.setEnabled(true);
    b3.setEnabled(false);
    }
});

b2.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {
        Toast.makeText(getApplicationContext(), "Pausing
            sound",Toast.LENGTH_SHORT).show();
        mediaPlayer.pause();
        b2.setEnabled(false);
        b3.setEnabled(true);
    }
});

b1.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {
        int temp = (int)startTime;

        if((temp+forwardTime)<=finalTime){
            startTime = startTime + forwardTime;
            mediaPlayer.seekTo((int) startTime);
            Toast.makeText(getApplicationContext(),"You have Jumped forward
5
            seconds",Toast.LENGTH_SHORT).show();
        }else{
            Toast.makeText(getApplicationContext(),"Cannot jump forward 5
            seconds",Toast.LENGTH_SHORT).show();
        }
    }
});

```

```

b4.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {
        int temp = (int)startTime;

        if((temp-backwardTime)>0){
            startTime = startTime - backwardTime;
            mediaPlayer.seekTo((int) startTime);
            Toast.makeText(getApplicationContext(),"You have Jumped
backward 5
            seconds",Toast.LENGTH_SHORT).show();
        }else{
            Toast.makeText(getApplicationContext(),"Cannot jump backward 5
            seconds",Toast.LENGTH_SHORT).show();
        }
    }
});
}

private Runnable UpdateSongTime = new Runnable() {
    public void run() {
        startTime = mediaPlayer.getCurrentPosition();
        tx1.setText(String.format("%d min, %d sec",
            TimeUnit.MILLISECONDS.toMinutes((long) startTime),
            TimeUnit.MILLISECONDS.toSeconds((long) startTime) -
            TimeUnit.MINUTES.toSeconds(TimeUnit.MILLISECONDS.
            toMinutes((long) startTime)))
        );
        seekbar.setProgress((int)startTime);
        myHandler.postDelayed(this, 100);
    }
};
}

```

Following is the modified content of the xml **res/layout/activity_main.xml**.

In the below code **abc** indicates the logo of tutorialspoint.com

```

<?xml version="1.0" encoding="utf-8"?>
<RelativeLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"

```

```
android:layout_height="match_parent"
android:paddingLeft="@dimen/activity_horizontal_margin"
android:paddingRight="@dimen/activity_horizontal_margin"
android:paddingTop="@dimen/activity_vertical_margin"
android:paddingBottom="@dimen/activity_vertical_margin"
tools:context=".MainActivity">
```

```
<TextView android:text="Music Palyer"
android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:id="@+id/textview"
    android:textSize="35dp"
    android:layout_alignParentTop="true"
    android:layout_centerHorizontal="true" />
```

```
<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Tutorials point"
    android:id="@+id/textView"
    android:layout_below="@+id/textview"
    android:layout_centerHorizontal="true"
    android:textColor="#ff7aff24"
    android:textSize="35dp" />
```

```
<ImageView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:id="@+id/imageView"
    android:layout_below="@+id/textView"
    android:layout_centerHorizontal="true"
    android:src="@drawable/abc"/>
```

```
<Button
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="@string/forward"
    android:id="@+id/button"
    android:layout_alignParentBottom="true"
    android:layout_alignParentLeft="true"
    android:layout_alignParentStart="true" />
```



```
<Button
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="@string/pause"
    android:id="@+id/button2"
    android:layout_alignParentBottom="true"
    android:layout_alignLeft="@+id/imageView"
    android:layout_alignStart="@+id/imageView" />
```

```
<Button
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="@string/back"
    android:id="@+id/button3"
    android:layout_alignTop="@+id/button2"
    android:layout_toRightOf="@+id/button2"
    android:layout_toEndOf="@+id/button2" />
```

```
<Button
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="@string/rewind"
    android:id="@+id/button4"
    android:layout_alignTop="@+id/button3"
    android:layout_toRightOf="@+id/button3"
    android:layout_toEndOf="@+id/button3" />
```

```
<SeekBar
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:id="@+id/seekBar"
    android:layout_alignLeft="@+id/textview"
    android:layout_alignStart="@+id/textview"
    android:layout_alignRight="@+id/textview"
    android:layout_alignEnd="@+id/textview"
    android:layout_above="@+id/button" />
```

```
<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
```

```
android:textAppearance="?android:attr/textAppearanceSmall"  
android:text="Small Text"  
android:id="@+id/textView2"  
android:layout_above="@+id/seekBar"  
android:layout_toLeftOf="@+id/textView"  
android:layout_toStartOf="@+id/textView" />
```

```
<TextView  
    android:layout_width="wrap_content"  
    android:layout_height="wrap_content"  
    android:textAppearance="?android:attr/textAppearanceSmall"  
    android:text="Small Text"  
    android:id="@+id/textView3"  
    android:layout_above="@+id/seekBar"  
    android:layout_alignRight="@+id/button4"  
    android:layout_alignEnd="@+id/button4" />
```

```
<TextView  
    android:layout_width="wrap_content"  
    android:layout_height="wrap_content"  
    android:textAppearance="?android:attr/textAppearanceMedium"  
    android:text="Medium Text"  
    android:id="@+id/textView4"  
    android:layout_alignBaseline="@+id/textView2"  
    android:layout_alignBottom="@+id/textView2"  
    android:layout_centerHorizontal="true" />
```