



SNS COLLEGE OF TECHNOLOGY, COIMBATORE –35  
(An Autonomous Institution)  
19CSB303 and Composing Mobile Apps  
UNIT 3



---

### Telephony.Sms

public                    static                    final                    class                    Telephony.Sms  
extends [Object](#) implements [BaseColumns](#), [Telephony.TextBasedSmsColumns](#)

[java.lang.Object](#)

↳ android.provider.Telephony.Sms

Contains all text-based SMS messages.

Nested classes	
class	<a href="#">Telephony.Sms.Conversations</a> Contains all sent text-based SMS messages in the SMS app.
class	<a href="#">Telephony.Sms.Draft</a> Contains all sent text-based SMS messages in the SMS app.
class	<a href="#">Telephony.Sms.Inbox</a> Contains all text-based SMS messages in the SMS app inbox.
class	<a href="#">Telephony.Sms.Intents</a> Contains constants for SMS related Intents that are broadcast.
class	<a href="#">Telephony.Sms.Outbox</a> Contains all pending outgoing text-based SMS messages.
class	<a href="#">Telephony.Sms.Sent</a> Contains all sent text-based SMS messages in the SMS app.

### SmsManager

public                      final                      class                      SmsManager  
extends [Object](#)

[java.lang.Object](#)

↳ android.telephony.SmsManager

Manages SMS operations such as

sending data,

text, and

pdu SMS messages.

Get this object by calling the static method [getDefault\(\)](#).

For information about how to behave as the default SMS app on Android 4.4 (API level 19) and higher, see [Telephony](#).