

SNS COLLEGE OF TECHNOLOGY



Coimbatore-35 An Autonomous Institution

Accredited by NBA – AICTE and Accredited by NAAC – UGC with 'A+' Grade Approved by AICTE, New Delhi & Affiliated to Anna University, Chennai

DEPARTMENT OF ELECTRONICS & COMMUNICATION ENGINEERING

19ECT301- COMMUNICATION NETWORKS

III YEAR/ V SEMESTER

UNIT 3 - TRANSPORT LAYER & APPLICATION LAYER

TOPIC – TRANSPORT LAYER PROTOCOLS



PROCESS-TO-PROCESS DELIVERY



The transport layer is responsible for process-to-process delivery—the delivery of a packet, part of a message, from one process to another. Two processes communicate in a client/server relationship, as we will see later.





Note

The transport layer is responsible for process-to-process delivery.



Figure 23.1 Types of data deliveries








Figure 23.2 Port numbers








Figure 23.3 IP addresses versus port numbers








Figure 23.4 IANA ranges








Figure 23.5 Socket address








Figure 23.6 Multiplexing and demultiplexing









Figure 23.7 Error control




Error is checked in these paths by the data link layer
 Error is not checked in these paths by the data link layer





Position of UDP, TCP, and SCTP in TCP/IP suite





USER DATAGRAM PROTOCOL (UDP)



The User Datagram Protocol (UDP) is called a connectionless, unreliable transport protocol. It does not add anything to the services of IP except to provide process-to-process communication instead of host-to-host communication.



Table 23.1 Well-known ports used with UDP

Port	Protocol	Description	
7	Echo	Echoes a received datagram back to the sender	
9	Discard	Discards any datagram that is received	
11	Users	Active users	
13	Daytime	Returns the date and the time	
17	Quote	Returns a quote of the day	
19	Chargen	Returns a string of characters	
53	Nameserver	Domain Name Service	
67	BOOTPs	Server port to download bootstrap information	
68	BOOTPc	Client port to download bootstrap information	
69	TFTP	Trivial File Transfer Protocol	
111	RPC	Remote Procedure Call	
123	NTP	Network Time Protocol	
161	SNMP	Simple Network Management Protocol	
162	SNMP	Simple Network Management Protocol (trap)	

Example 23.1



In UNIX, the well-known ports are stored in a file called /etc/services. Each line in this file gives the name of the server and the well-known port number. We can use the grep utility to extract the line corresponding to the desired application. The following shows the port for FTP. Note that FTP can use port 21 with either UDP or TCP.

\$ grep	ftp	/etc/services
ftp	21/	tcp
ftp	21/udp	

Example 23.1 (continued)




SNMP uses two port numbers (161 and 162), each for a different purpose, as we will see in Chapter 28.

\$ grep	snmp /etc/services	
snmp	161/tcp	#Simple Net Mgmt Proto
snmp	161/udp	#Simple Net Mgmt Proto
snmptrap	162/udp	#Traps for SNMP



Figure 23.9 User datagram format









Note

UDP length = IP length – IP header's length



Pseudoheader for checksum calculation



ader	32-bit source IP address			
Pseudoheader	32-bit destination IP address			
Pseu	All Os	8-bit protocol (17)	16-bit UDP total length	
Header	Source port address 16 bits		Destination port address 16 bits	
	UDP total length 16 bits		Checksum 16 bits	

Data

(Padding must be added to make the data a multiple of 16 bits)

Example 23.2



Figure 23.11 shows the checksum calculation for a very small user datagram with only 7 bytes of data. Because the number of bytes of data is odd, padding is added for checksum calculation. The pseudoheader as well as the padding will be dropped when the user datagram is delivered to IP.



Checksum calculation of a simple UDP user datagram




153.18.8.105			
171.2.14.10			
All Os	17	15	
1087		13	
15		All Os	
T	E	S	Ţ
1	N	G	All Os


	10011001	00010010	\longrightarrow	153.18
	00001000	01101001	\longrightarrow	8.105
	10101011	00000010	\longrightarrow	171.2
	00001110	00001010	\longrightarrow	14.10
	00000000	00010001	\longrightarrow	0 and 17
	00000000	00001111	\longrightarrow	15
	00000100	00111111	\longrightarrow	1087
	00000000	00001101	\longrightarrow	13
	00000000	00001111	\longrightarrow	15
	00000000	00000000	\longrightarrow	0 (checksum)
	01010100	01000101	\longrightarrow	T and E
	01010011	01010100	\longrightarrow	SandT
	01001001	01001110	\longrightarrow	land N
	01000111	00000000	→	G and 0 (padding)
-	10010110	11101011	→	Sum
	01101001	00010100	\rightarrow	Checksum



Figure 23.12 Queues in UDP











THANK YOU