


SNS COLLEGE OF TECHNOLOGY





DEPARTMENT OF MATHEMATICS

$y_n [8(n+a) - 8(n+1)] - 1 [4(n+a)y_{n+1} - 2(n+1)y_{n+2}]$
$+ n \left[4 y_{n+1} - 2 y_{n+2} \right] = 0$
yn [8n +16 - 8n - 8] - [(4n+8) yn+1 - (2n+2) yn+2]
$+ 4ny_{n+1} - any_{n+2} = 0$
$8y_n - (4n+8)y_{n+1} + (2n+2)y_{n+2} + 4 m y_{n+1} - 2n y_{n+2} = 0$
$2y_{n+2} - 8y_{n+1} + 8y_n = 0$
$y_{n+2} - 4y_{n+1} + 4y_n = 0$
Solution of difference equations using Z-transforms:
Formulae :
$(1) Z [y_n] = Y(z)$
(2) $Z [y_{n+1}] = Z Y(Z) - Z Y(0)$
(3) $Z[y_{n+2}] = Z^2 Y(Z) - Z^2 Y(0) - ZY(1)$
$(4) Z \left[y_{n+3} \right] = z^{3} Y(z) - z^{3} y(o) - z^{2} y(1) - Z y(2)$
(5) $Z [y_{n-1}] = Z^{-1} Y(Z)$.
Problems:
(1) Solve $y_{n+1} - 2y_n = 0$ given $y_n = 3$.
Jaking Z-transforms on both sides of the difference
carn, we get
$z [y_{n+1}] - 2 z [y_n] = z [0]$
[z Y(z) - z Y(0)] - 2 Y(z) = 0
$z Y(z) - z (3) - 2 Y(z) = 0$ (:: $y_0 = y(0) = 3$]
(z-a) Y(z) - 3z = 0
$\frac{Y(z)}{z-2} = \frac{3z}{z-2}$



SNS COLLEGE OF TECHNOLOGY

(An Autonomous Institution) DEPARTMENT OF MATHEMATICS



(20) $Z \left[y_n \right] = \frac{3Z}{Z - R^2}$ $y_n = z' \left[\frac{3z}{z-a} \right] = 3z' \left[\frac{z}{z-a} \right]$ $\begin{bmatrix} \cdot : z \begin{bmatrix} a^n \end{bmatrix} = \frac{z}{z - a} \end{bmatrix}$ $y_{n} = 3(2^{n})$ (2) Solve $y_{n+2} + by_{n+1} + 9y_n = a^n$ given $y_n = y_1 = 0$. Soln: Given: $y_{n+2} + b y_{n+1} + 9y_n = 2^n$. $z [y_{n+a}] + 6 z [y_{n+1}] + 9 z [y_n] = z [a^n]$ $z^{2} Y(z) - z^{2} Y(0) - Z Y(1) + 6 [Z Y(z) - Z Y(0)] + 9 Y(z) =$ $z^{2}y(z) + 6z y(z) + 9(y(z) = \frac{z}{z-a} [:: y(o) = y(i) = 0]$ $(Z^{2}+6z+9) Y(z) = \frac{z}{z-z}$ $(z+3)^2 Y(z) = \frac{z}{z-2}$ $Y(z) = \frac{z}{(z-a)(z+3)^2}$ $\frac{Y(z)}{z} = \frac{1}{(z-a)(z+3)^2} = \frac{A}{z-a} + \frac{B}{z+3} + \frac{L}{(z+3)^2} \xrightarrow{7} (z+3)^2 (z+3)^2 = \frac{A}{(z+3)^2} + \frac{B}{(z+3)^2} + \frac{L}{(z+3)^2} + \frac{B}{(z+3)^2} + \frac{L}{(z+3)^2} + \frac{B}{(z+3)^2} + \frac{L}{(z+3)^2} + \frac{L}{(z+3)^2}$ $I = A(z+3)^{2} + B(z-2)(z+3) + c(z-2)$ Put Z=2 => 25 A=1 => A=1/25 Put $z = -3 \Rightarrow -5c = 1 \Rightarrow c = -1/s$ Equating z^2 coeff on both sides, $0 = A + B \Rightarrow B = -A$ B = -1/25 $(1) = \frac{\gamma(z)}{z} = \frac{1}{25(z-2)} - \frac{1}{25(z+3)} - \frac{1}{5(z+3)^2}$ $Y(z) = \frac{z}{25(z-a)} - \frac{z}{25(z+3)} - \frac{z}{5(z+3)^2}$ $y(n) = \frac{1}{25} z^{-1} \left[\frac{z}{z-2} \right] - \frac{1}{1-z} z^{-1} \left[\frac{z}{z+3} \right] - \frac{1}{5} z^{-1} \left[\frac{z}{(z+3)^{2}} \right]$

Z TRANSFORMS



SNS COLLEGE OF TECHNOLOGY

(An Autonomous Institution) DEPARTMENT OF MATHEMATICS



 $y(n) = \frac{1}{25} z^{-1} \left[\frac{z}{z-2} \right] - \frac{1}{25} z^{-1} \left[\frac{z}{z-(-3)} \right] + \frac{1}{15} z^{-1} \left[\frac{-3z}{15-(-3)} \right]$ $= \frac{1}{15} (a^{n}) - \frac{1}{25} (-3)^{n} + \frac{1}{15} (-3)^{n} \cdot n \quad [2 [na^{n}] = \frac{az}{(z-a)^{2}}$ (3) Solve the difference earn y (K+2) - 4y(K+1) + 4y(K) = 0 where y(0) = 1, y(1) = 0. $-\frac{50\ln 2}{3}$ y(k+2) - 4y(k+1) + 4y(k) = 0 z [y(k+2)] - 4z [y(k+1)] + 4z [y(k)] = 0 $[z^2 Y(z) - z^2 Y(0) - z Y(1)] - 4 [z Y(z) - z Y(0)] + 4 Y(z) = 0$ $[z^{2} Y(z) - z^{2} - 0] - 4 [z Y(z) - z] + 4 (Y(z)) = 0.$ $Y(z)(z^{2}-4z+4)-z^{2}+4z=0$ $Y(z) = \frac{z^{2} + z}{z^{2} - 4z} = \frac{z(z - 4)}{z^{2} + 2z + 4}$ $\frac{Y(z)}{z} = \frac{z-4}{z^2-4z+4} = \frac{z-4}{(z-2)^2} = \frac{A}{z-a} + \frac{B}{(z-2)^2}$ $Z - \mu = A(z - 2) + B$ Put $Z = a \implies B = -a$ Put $z=0 \implies -4 = -2A + B \implies A = 1$ $\frac{Y(z)}{z} = \frac{1}{z-2} - \frac{2}{(z-2)^2}$ $Y(x) = \frac{Z}{Z-2} - 2 \cdot \frac{Z}{(Z-2)^2}$ $Z[y(n)] = \frac{Z}{7-2} - 2 \cdot \frac{Z}{(Z-2)^2}$ $y(n) = z^{-1} \begin{bmatrix} z \\ z-z \end{bmatrix} - i z^{-1} \begin{bmatrix} 2z \\ (z-z)^{2} \end{bmatrix}$ $= 2^{n} - 2^{n} \cdot n$ $y(n) = a^n (1-n)$