



**SNS COLLEGE OF TECHNOLOGY**  
**Coimbatore-35**  
**An Autonomous Institution**



Accredited by NBA – AICTE and Accredited by NAAC – UGC with 'A++' Grade  
Approved by AICTE, New Delhi & Affiliated to Anna University, Chennai

**DEPARTMENT OF ELECTRONICS & COMMUNICATION  
ENGINEERING**

**19ECT301- COMMUNICATION NETWORKS**

III YEAR/ V SEMESTER

UNIT 3 TRANSPORT LAYER & APPLICATION LAYER

TOPIC – INTRODUCTION



# The Transport Layer




# The Transport Service



- Services Provided to the Upper Layers
- Transport Service Primitives
- Berkeley Sockets
- An Example of Socket Programming:
  - An Internet File Server



## Services Provided to the Upper Layers



The network, transport, and application layers.




# Transport Service Primitives

Primitive	Packet sent	Meaning
LISTEN	(none)	Block until some process tries to connect
CONNECT	CONNECTION REQ.	Actively attempt to establish a connection
SEND	DATA	Send information
RECEIVE	(none)	Block until a DATA packet arrives
DISCONNECT	DISCONNECTION REQ.	This side wants to release the connection

The primitives for a simple transport service.




## Transport Service Primitives (2)



The nesting of TPDUs, packets, and frames.



## Transport Service Primitives (3)



A state diagram for a simple connection management scheme. Transitions labeled in italics are caused by packet arrivals. The solid lines show the client's state sequence. The dashed lines show the server's state sequence.



# Berkeley Sockets



Primitive	Meaning
SOCKET	Create a new communication end point
BIND	Attach a local address to a socket
LISTEN	Announce willingness to accept connections; give queue size
ACCEPT	Block the caller until a connection attempt arrives
CONNECT	Actively attempt to establish a connection
SEND	Send some data over the connection
RECEIVE	Receive some data from the connection
CLOSE	Release the connection

The socket primitives for TCP.





**THANK YOU**