



SNS COLLEGE OF TECHNOLOGY

Coimbatore-35
An Autonomous Institution



Accredited by NBA – AICTE and Accredited by NAAC – UGC with 'A++' Grade
Approved by AICTE, New Delhi & Affiliated to Anna University, Chennai

DEPARTMENT OF ELECTRONICS & COMMUNICATION ENGINEERING

19ECT212 – CONTROL SYSTEMS

II YEAR/ IV SEMESTER

UNIT I – CONTROL SYSTEM MODELING

TOPIC 1–BASIC ELEMENTS OF CONTROL SYSTEM





Course Objectives

1. Model common control system components.
2. Select an appropriate control algorithm of PID type or one of its variations.
3. Analyze the performance of a control algorithm using transfer functions, block diagrams, and computer methods, in light of given performance specifications.
4. Using MATLAB and Simulink to analyze and simulate control systems

A control system consists of subsystems and plants for the purpose of obtaining a desired output with desired performance, given a specified input.

A major application of the methods of system dynamics is the design of control systems.





Basic Components of a Control System




1. Objectives of control (Inputs)
2. Control system components (Controller, plant, actuator, sensor,...)
3. Results (Outputs)

Robot : Sensors (Optical image, displacement, speed, force, torque, pressure voltage, current). Actuators (AC motors, DC motors, step motors, hydraulic actuators)


Home Heating System : Sensors (Temperature, pressure, fluid flow). Actuators (Motors, pumps, heat sources)

Automobile : Sensors (Displacement, speed, force, pressure, temperature, fluid flow, fluid level voltage, current). Actuators (DC motors, step motors, pumps, heat sources)






Open Loop Control Systems



Sensitive to changing in parameters and disturbance.

Closed Loop Control Systems: (Feedback Systems)



$$\text{Error signal} = \text{Reference} - \text{Sensing signal}$$




Examples of Control System Applications




Washing machine




Step motors



Idle-speed control



Home heating system



Cruise control




Robots




Home Heating Control System



- V_R : Reference temp.
- V_T : Measured temp.
- T_B : Disturbance
(heat transfer: door, window, wall, etc.)




Error	Status	Control action
$V_R - V_T > 0$	Cold	Open valve
$V_R - V_T < 0$	Hot	Close valve






Cruise Control System





Usage in 1990's
Driver comfort
Save fuel





a) Mathematical model (Cruise Control System) :




F_p : Pushing force (from engine)

F_d : Disturbance (wind, gravity, environmental factors, etc.)

$$F_p(t) = K_e \theta(t) \quad F_B = Bv$$

$$m \frac{dv}{dt} + Bv = F_p(t) + F_d(t)$$


$$m \frac{dv}{dt} + Bv = K_e \theta(t) + F_d(t)$$



$$e(t) = v_d(t) - v(t) \quad \theta(t) = K_c e(t) = K_c (v_d(t) - v(t)),$$


$$F_p(t) = K_e K_p e(t) = K_e K_c (v_d(t) - v(t))$$

b) Closed loop control:






Control Applications with Industrial Robots



Inverted pendulum control



Ball grabber



SUMMARY

