



DEPARTMENT OF MATHEMATICS

GAUSS - JACOBI METHOD

(28)

- ① Solve the following system of equations by using Gauss - Jacobi method.

$$10x + 2y + z = 9 \rightarrow ①$$

$$x + 10y - z = -22 \rightarrow ②$$

$$-2x + 3y + 10z = 22 \rightarrow ③$$

Solution: Since the given system of equations is diagonally dominant, we write the equations as,

$$x = \frac{1}{10}(9 - 2y - z) \rightarrow ④$$

$$y = \frac{1}{10}(-22 - x + z) \rightarrow ⑤$$

$$z = \frac{1}{10}(22 + 2x - 3y) \rightarrow ⑥$$

First iteration:

Putting $x = 0$, $y = 0$ & $z = 0$ in ④, ⑤ & ⑥

$$x = \frac{9}{10} = 0.9$$

$$y = \frac{-22}{10} = -2.2$$

$$z = \frac{22}{10} = 2.2$$

Second iteration:

Putting $x = 0.9$, $y = -2.2$, $z = 2.2$ in ④,

④ & ⑥,

$$x = \frac{1}{10}(9 + 2 \times -2.2 - 2.2) = 1.12$$

$$y = \frac{1}{10}(-22 - 0.9 + 2.2) = -2.07$$

$$z = \frac{1}{10}(22 + 2 \times 0.9 + 3 \times 2.2) = 3.04$$



DEPARTMENT OF MATHEMATICS

Third iteration:

$$x = \frac{1}{10} (9 + 2 \times 2.07 - 3.04) = 1.01$$

$$y = \frac{1}{10} (-22 - 1.01 + 3.04) = -2.008$$

$$z = \frac{1}{10} (22 + 2 \times 1.01 + 3 \times 2.07) = 3.045$$

Fourth iteration:

$$x = \frac{1}{10} (9 + 2 \times 2.008 - 3.045) = 0.9971$$

$$y = \frac{1}{10} (-22 - 1.01 + 3.045) = -1.9965$$

$$z = \frac{1}{10} (22 + 2 \times 1.01 + 3 \times 2.008) = 3.0044$$

Fifth iteration:

$$x = \frac{1}{10} (9 + 2 \times 1.9965 - 3.0044) = 0.9989$$

$$y = \frac{1}{10} (-22 - 0.9971 + 3.0044) = -1.9993$$

$$z = \frac{1}{10} (22 + 2 \times 0.9971 + 3 \times 1.9965) = 2.9984$$

Sixth iteration:

$$x = \frac{1}{10} (9 + 2 \times 1.9993 - 2.9984) = 1$$

$$y = \frac{1}{10} (-22 - 0.9989 + 2.9984) = -1.9995$$

$$z = \frac{1}{10} (22 + 2 \times 0.9989 + 3 \times 1.9993) = 2.9996$$

Seventh iteration:

$$x = \frac{1}{10} (9 + 4 - 2.9996) = 1$$

$$y = \frac{1}{10} (-22 - 1 + 2.9996) = -2$$



DEPARTMENT OF MATHEMATICS

$$z = \frac{1}{10} (2x + 2 + 6) = 3$$

(29)

∴ The required solution is

$$\boxed{x = 1, y = -2, z = 3}$$

- ② Solve the following system of equations, correct to 3 decimal places, using Gauss-Jacobi method.

$$\begin{aligned} -x + y + 10z &= 35.61 \\ x + 10y + z &= 20.08 \\ 10x + y - z &= 11.19 \end{aligned}$$

Solution:

Since the given system of equations is not diagonally dominant, we rewrite the equations as,

$$\begin{aligned} 10x + y - z &= 11.19 \rightarrow ① \\ x + 10y + z &= 20.08 \rightarrow ② \\ -x + y + 10z &= 35.61 \rightarrow ③ \end{aligned}$$

Hence we have,

$$\begin{aligned} x &= \frac{1}{10} (11.19 - y + z) \rightarrow ④ \\ y &= \frac{1}{10} (20.08 - x - z) \rightarrow ⑤ \\ z &= \frac{1}{10} (35.61 + x - y) \rightarrow ⑥ \end{aligned}$$

First iteration:

Putting $x = 0, y = 0, z = 0$ in ④, ⑤ & ⑥,

$$x = \frac{11.19}{10} = 1.119$$

$$y = \frac{20.08}{10} = 2.008$$

$$z = \frac{35.61}{10} = 3.561$$



DEPARTMENT OF MATHEMATICS

Second iteration:

$$x = \frac{1}{10} (11.19 - 2.008 + 3.561) = 1.274$$

$$y = \frac{1}{10} (20.08 - 1.119 - 3.561) = 1.54$$

$$z = \frac{1}{10} (35.61 + 1.119 - 2.008) = 3.472$$

Third iteration:

$$x = \frac{1}{10} (11.19 - 1.54 + 3.472) = 1.312$$

$$y = \frac{1}{10} (20.08 - 1.274 - 3.472) = 1.533$$

$$z = \frac{1}{10} (35.61 + 1.274 - 1.54) = 3.534$$

Fourth iteration:

$$x = \frac{1}{10} (11.19 - 1.533 + 3.534) = 1.319$$

$$y = \frac{1}{10} (20.08 - 1.312 - 3.534) = 1.523$$

$$z = \frac{1}{10} (35.61 + 1.312 - 1.533) = 3.539$$

Fifth iteration:

$$x = \frac{1}{10} (11.19 - 1.523 + 3.539) = 1.321$$

$$y = \frac{1}{10} (20.08 - 1.319 - 3.539) = 1.522$$

$$z = \frac{1}{10} (35.61 + 1.319 - 1.523) = 3.539$$

Hence

$$x = 1.321, y = 1.522, z = 3.539$$